

# PETRON & PETRONOMICS

## PRODUCT PART NUMBERS, CONTENT & WEIGHT

page 1	CASE PART NO.	PART NO.	NET CON'T	UNITS/ CASE	APPROX. CASE WT.	NO./ PALLET
<b>AUTOMOTIVE PRODUCTS</b>						
<b>ENGINE PRODUCTS</b>						
THE ENGINE	71212A	12121	12 oz.	12	11 lbs.	96
CONDITIONER	71284A	12841	1 gal.	4	35 lbs.	36
HI-PERFORMANCE SYN. ENGINE CONDITIONER	71216A	12116	16 oz.	12	19 lbs.	96
DIESEL ENGINE	81212D	12122	12 oz.	12	11 lbs.	96
CONDITIONER	81284D	12842	1 gal.	4	35 lbs.	36
	86402D	64022	2.5 gal.	2	44 lbs.	36
HI-PERFORMANCE ENGINE OIL TREATMENT	412128	12128	15 oz.	12	18 lbs.	96

<b>ENGINE MOTOR OIL - ARE FORMULATED TO MEET CURRENT SPECIFICATIONS</b>						
<b>SYNTHETIC'S</b>						
<b>SYNTHETIC PAO HEAVY-DUTY DIESEL</b>						
<b>ENGINE OILS - Formulated to meets CI-4/CH-4/CG-4/CF-4/CF-2, 11 TBN</b>						
SAE 5W-40	51034	51034	5 gal.	1	40 lbs.	42
	51035	51035	55 gal.	1	440 lbs.	4
<b>SYNTHETICS PAO GASOLINE ENGINES OILS</b>						
Formulated to meet SL, SJ or CF						
SAE 0W-30	57154	57154	5 gal.	1	40 lbs.	42
	57155	57155	55 gal.	1	440 lbs.	4
SAE 0W-40	57158	57158	5 gal.	1	40 lbs.	42
	57159	57159	55 gal.	1	440 lbs.	4
SAE 5W-30	57162	57162	5 gal.	1	40 lbs.	42
	57163	57163	55 gal.	1	440 lbs.	4
SAE 10W-30	57166	57166	5 gal.	1	40 lbs.	42
	57167	57167	55 gal.	1	440 lbs.	4
SAE 15W-50	57170	57170	5 gal.	1	40 lbs.	42
	57171	57171	55 gal.	1	440 lbs.	4

<b>SEMI-SYNTHETIC'S</b>						
<b>PARTIAL SYNTHETIC GASOLINE / DIESEL</b>						
<b>ENGINE OILS - Formulated to meets CI-4/CH-4/CG-4/CF-4/CF-2/SJ</b>						
SAE 5W-30	51043	51043	5 gal.	1	40 lbs.	42
	51044	51044	55 gal.	1	440 lbs.	4
SAE 10W-40	51106	51106	5 gal.	1	40 lbs.	42
	51107	51107	55 gal.	1	440 lbs.	4

page 2	CASE PART NO.	PART PART NO.	NET CON'T	UNITS/ CASE	APPROX. CASE WT.	NO./ PALLET
<b>AUTOMOTIVE PRODUCTS</b>						
<b>ENGINE PRODUCTS, cont.</b>						
<b>PETROLEUM</b>						
<b>HIGH PERFORMANCE ALL-SEASON MOTOR OIL</b>						
Formulated to meets API Service SJ, EC-II*						
SAE 5W-30	50060	50060	5 gal.	1	40 lbs.	42
	50061	50061	55 gal.	1	440 lbs.	4
SAE 10W-30	50062	50062	5 gal.	1	40 lbs.	42
	50063	50063	55 gal.	1	441 lbs.	4
SAE 10W-40	50064	50064	5 gal.	1	41 lbs.	42
	50065	50065	55 gal.	1	442 lbs.	4
SAE 20W-50	50066	50066	5 gal.	1	41 lbs.	42
	50067	50067	55 gal.	1	442 lbs.	4
* In appropriate viscosity grades						
<b>PREMIUM FLEET ENGINE OILS</b>						
Formulated to meet Current API Service Rating* (TBN) 9						
SAE 30W	50080	50080	5 gal.	1	41 lbs.	42
	50081	50081	55 gal.	1	440 lbs.	4
SAE 40W	50082	50082	5 gal.	1	41 lbs.	42
	50083	50083	55 gal.	1	448 lbs.	4
SAE 50W	50084	50084	5 gal.	1	41 lbs.	42
	50085	50085	55 gal.	1	450 lbs.	4
SAE 10W-30	50086	50086	5 gal.	1	41 lbs.	42
	50087	50087	55 gal.	1	450 lbs.	4
SAE 15W-40	50088	50088	5 gal.	1	41 lbs.	42
	50089	50089	55 gal.	1	445 lbs.	4
* In appropriate viscosity grades						
<b>HEAVY-DUTY ENGINE OIL</b>						
Formulated to meets API CH-4, CG-4, CF-4, CE, CF-2, CD-II, CF/SJ*, Total Base Number (TBN) 12						
SAE 30W	50012	50012	5 gal.	1	41 lbs.	42
	50013	50013	55 gal.	1	447 lbs.	4
SAE 40W	50014	50014	5 gal.	1	41 lbs.	42
	50015	50015	55 gal.	1	448 lbs.	4
SAE 50W	50016	50016	5 gal.	1	41 lbs.	42
	50017	50017	55 gal.	1	448 lbs.	4
SAE 10W-30	50018	50018	5 gal.	1	41 lbs.	42
	50019	50019	55 gal.	1	442 lbs.	4
SAE 15W-40	50020	50020	5 gal.	1	41 lbs.	42
	50021	50021	55 gal.	1	444 lbs.	4
* In appropriate viscosity grades						
<b>EXTRA HEAVY-DUTY DIESEL FLEET ENGINE OIL</b>						
Formulated to meets API, CH-4, CG-4, CF-4, CE, CD-II, CF* Total Base Number (TBN) 13						
SAE 30W	50046	50046	5 gal.	1	41 lbs.	42
	50047	50047	55 gal.	1	447 lbs.	4
SAE 40W	50050	50050	5 gal.	1	41 lbs.	42
	50051	50051	55 gal.	1	450 lbs.	4
SAE 50W	50052	50052	5 gal.	1	41 lbs.	42
	50053	50053	55 gal.	1	450 lbs.	4
SAE 10W-30	50056	50056	5 gal.	1	41 lbs.	42
	50057	50057	55 gal.	1	450 lbs.	4
SAE 15W-40	50058	50058	5 gal.	1	41 lbs.	42
	50059	50059	55 gal.	1	444 lbs.	4
* In appropriate viscosity grades						
<b>HIGH PERFORMANCE RACING OIL</b>						
<b>HI-PERFORMANCE RACING OIL</b>						
Formulated to meet API Service SJ						
50W	50070	50070	5 gal.	1	41 lbs.	42
	50071	50071	55 gal.	1	448 lbs.	4
70W - Not for street use. Top F	50072	50072	5 gal.	1	42 lbs.	42
Dragsters & Funny Car:	50073	50073	55 gal.	1	455 lbs.	4
20W-50	50074	50074	5 gal.	1	41 lbs.	42
	50075	50075	55 gal.	1	447 lbs.	4

	CASE PART NO.	PART NO.	NET CON'T	UNITS/ CASE	APPROX. CASE WT.	NO./ PALLET
<b>INDUSTRIAL ENGINE MOTOR OILS</b>						
<b>NATURAL GAS ENGINE PRODUCTS</b>						
<b>SYNTHETIC &amp; SEMI-SYNTHETIC</b>						
<b>SYNTHETIC NATURAL</b>						
<b>GAS ENGINE OIL - Low Ash</b>						
SAE 15W-40	56924	56926	5 gal.	1	38 lbs.	42
	56925	56927	55 gal.	1	440 lbs.	4
<b>NATURAL GAS</b>						
<b>ENGINE OILS - Low Ash</b>						
SAE 40W	56900	56900	5 gal.	1	38 lbs.	42
	56901	56901	55 gal.	1	440 lbs.	4
SAE 15W-40	56902	56902	5 gal.	1	38 lbs.	42
	56903	56903	55 gal.	1	440 lbs.	4
<b>NATURAL GAS</b>						
<b>ENGINE OILS - Medium Ash</b>						
SAE 40W	56904	56904	5 gal.	1	38 lbs.	42
	56905	56905	55 gal.	1	440 lbs.	4
<b>NATURAL GAS</b>						
<b>ENGINE OILS - Low Ash</b>						
SAE 30W	56906	56906	5 gal.	1	38 lbs.	42
	56907	56907	55 gal.	1	440 lbs.	4
SAE 40W	56908	56908	5 gal.	1	38 lbs.	42
	56909	56909	55 gal.	1	440 lbs.	4
<b>NATURAL GAS</b>						
<b>ENGINE OILS - Ashless</b>						
SAE 30W	56910	56910	5 gal.	1	38 lbs.	42
	56911	56911	55 gal.	1	440 lbs.	4
SAE 40W	56912	56912	5 gal.	1	38 lbs.	42
	56913	56913	55 gal.	1	440 lbs.	4
<b>NATURAL GAS</b>						
<b>ENGINE OILS - Ashless</b>						
SAE 30W	56914	56914	5 gal.	1	38 lbs.	42
	56915	56915	55 gal.	1	440 lbs.	4
SAE 40W	56916	56916	5 gal.	1	38 lbs.	42
	56917	56917	55 gal.	1	440 lbs.	4
<b>LFG-SG NATURAL</b>						
<b>GAS ENGINE OILS</b>						
SAE 40W	56918	56918	5 gal.	1	38 lbs.	42
	56919	56919	55 gal.	1	440 lbs.	4
SAE 40W	56920	56920	5 gal.	1	38 lbs.	42
	56921	56921	55 gal.	1	440 lbs.	4
<b>NEXT GENERATION NATURAL</b>						
<b>GAS ENGINE OILS - Low Ash</b>						
SAE 40W	56922	56922	5 gal.	1	38 lbs.	42
	56923	56923	55 gal.	1	440 lbs.	4

**2 & 4 CYCLE OILS**

2-CYCLE OUTBOARD ENGINE	72200	72000	32 oz.	12	25 lbs.	75
Ashless	72129	72128	1 gal.	4	32 lbs.	36
	72254	72254	54 gal.	1	430 lbs.	4
2-CYCLE MOTORCYCLE ENC	73008	73007	2.6 oz.	24	6 lbs.	234
Low-Ash	73300	73000	32 oz.	12	25 lbs.	75
	73010	73010	5 gal.	1	38 lbs.	42
	73054	73254	54 gal.	1	450 lbs.	4
2-CYCLE SYNTHETIC ENDUR	73132	73131	32 oz.	12	25 lbs.	12
ENGINE OIL	73100	73100	55 gal.	1	465 lbs.	4
4-CYCLE ENGINE SUPPLEME	41212M	12127	12 oz.	12	11 lbs.	96
PREMIUM BAR & CHAIN OIL	72601	72600	1 gal.	4	35 lbs.	36
	72602	72602	5 gal.	1	40 lbs.	42
	72603	72603	55 gal.	1	450 lbs.	4

	CASE PART NO.	PART NO.	NET CON'T	UNITS/ CASE	APPROX. CASE WT.	NO./ PALLET
<b>AUTOMATIC TRANSMISSION</b>						
AUTOMATIC TRANSMISSION SUPP.	14100 14002	14000 14001	11 oz. 1 gal.	12 4	10 lbs. 36 lbs.	96 36
SYNTHETIC AUTOMATIC TRANSMISSION FLUID	51051 51055 51056	51050 51055 51056	1 qt. 5 gal. 55 gal.	12 1 1	25 lbs. 35 lbs. 400 lbs.	84 42 4
AUTOMATIC TRANSMISSIC FLUID	51053 51054	51053 51054	5 gal. 55 gal.	1 1	35 lbs. 400 lbs.	42 4
POWER STEERING FLUID & SUPPLEMENT	14011	14010	11 oz.	12	10 lbs.	96
<b>AUTOMOTIVE GEAR LUBRICANTS</b>						
TRANSMISSION & GEAR BOX SUPPLEMENT	91212T	12123	12 oz.	12	11lbs.	96
<b>SYNTHETIC GEAR OILS</b>						
SYNTHETIC 50W TRANSMISSION LUBRICAN	51058 51059	51058 51059	5 gal. 55 gal.	1 1	35 lbs. 400 lbs.	42 4
SYNTHETIC 75W-90 GL-5 GEAR LUBRICANT	51060 51061	51060 51061	5 gal. 55 gal.	1 1	35 lbs. 400 lbs.	42 4
SYNTHETIC 80W-140 GL-5 GEAR LUBRICANT	51062 51063	51062 51063	5 gal. 55 gal.	1 1	35 lbs. 400 lbs.	42 4
<b>SEMI-SYNTHETIC GEAR OILS</b>						
SEMI-SYNTHETIC 80W-90 GL-5 GEAR OIL	51064 51065 51066	51064 51065 51066	5 gal. 120 lbs. 55 gal.	1 1 1	35 lbs. 120 lbs. 400 lbs.	42 9 4
SEMI-SYNTHETIC 85W-140 GL-5 GEAR OIL	51067 51068 51069	51067 51068 51069	5 gal. 120 lbs. 55 gal.	1 1 1	35 lbs. 120 lbs. 400 lbs.	42 9 4
<b>PETROLEUM GEAR OILS</b>						
80W-90 GL-5 GEAR OIL	51190 51191 51192	51190 51191 51192	5 gal. 120 lbs. 55 gal.	1 1 1	35 lbs. 120 lbs. 400 lbs.	42 9 4
85W-140 GL-5 GEAR OIL	51140 51141 51142	51140 51141 51142	5 gal. 120 lbs. 55 gal.	1 1 1	35 lbs. 120 lbs. 400 lbs.	42 9 4
<b>MISC. AUTOMOTIVE LUBE'S</b>						
ANTI-SEIZE THREAD COMPOUND	^00993 ^00995	^00992 ^00994	1 lb tub 1 gal.	45 1	50 lbs. 10 lbs.	36 1
MOTOR FLUSH	57337 57339	57336 57338	1 qt. 1 gal.	12 4		80 36
ASSEMBLY LUBE	10101 10103	10100 10102	12 oz. 1 gal.	12 1	11 lbs. 8 lbs.	96 1
LIMITED SLIP	14051	14050	4 oz.	24	7 lbs.	36

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
<b>GASOLINE PRODUCTS</b>						
<b>SUPER CONCENTRATED FUEL SYSTEM</b>						
<b>CLEANER from Fuel Tank Multi-Port Injectors</b>						
to Combustion Chamber	20006	20005	13 oz.	12	15 lbs.	96
	52030	52030	54 gal.	1	400 lbs.	4
<b>SUPER CONCENTRATED FUE</b>						
INJECTOR & COMBUSTION	21000	20000	10 oz.	12	10 lbs.	96
CHAMBER CLEANER	52027	52027	54 gal.	1	400 lbs.	4
FUEL INJECTOR &	21001	20001	10 oz.	12	10 lbs.	96
CARBURETOR CLEANER	52037	52037	54 gal.	1	400 lbs.	4
LEAD SUBSTITUTE	55361	55360	10 oz.	12	10 lbs.	96
OFF-ROAD	55363	55363	54 gal.	1	400 lbs.	4
OCTANE BOOSTER	55365	55364	10 oz.	12	10 lbs.	96
ON-ROAD	55367	55367	54 gal.	1	400 lbs.	4
OCTANE BOOSTER	55369	55368	10 oz.	12	10 lbs.	96
OFF-ROAD	55371	55371	54 gal.	1	400 lbs.	4
BULK GASOLINE	52041	52040	1 gal.	4	34 lbs.	36
CONCENTRATE	52042	52042	54 gal.	1	440 lbs.	4
<b>DIESEL FUEL PRODUCTS</b>						
ALL SEASON DIESEL FUE	20101	20100	10 oz.	12	10 lbs.	96
CONDITIONER with						
LUBRICITY						
10 ounces is formulated to treat 20 gallons of diesel fuel						
ALL SEASON DIESEL FUE	20102	20150	1 qt.	12	25 lbs.	80
CONDITIONER with	20103	20175	1 gal.	4	32 lbs.	36
LUBRICITY	52051	52051	54 gal.	1	408 lbs.	4
1 gallon formulated to treat 1,000 gallons of diesel fuel in the Winter, & 2,000 gallons in the Summer.						
BULK DIESEL FUEL	52056	52055	1 gal.	4	33 lbs.	36
CONCENTRATE	52057	52057	54 gal.	1	429 lbs.	4
DIESEL FUEL CETANE &	52065	52064	10 oz.	12	10 lbs.	96
FLOW IMPROVER	52067	52066	1 qt.	12	25 lbs.	80
	52069	52068	1 gal.	4	31 lbs.	36
DIESEL FUEL DEICER	55385	55386	1 qt.	12	25 lbs.	80
	55387	55388	1 gal.	4	31 lbs.	36
DIESEL FUEL BIOCID	52061	52060	½ gal.	1	20 lbs.	72
ON & OFF-ROAD	52063	52062	1 gal.	1	40 lbs.	36

### ABBREVIATIONS

PAO = Polyalphaolefin

SYN. = Synthetic

AW = Anti Wear

H. T. = High Temperature

AW/AL = Anti Wear/Anti Leak

POE = Polyol Esters

A/C = Air Conditioning

E.P. = Extreme Pressure

CARB. = Carburetor

SUPP. = Supplement

IND. = Industrial

S.O. = Special Order

M.P. = Multi-Purpose

page 6	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>GEAR BOX LUBRICANTS</b>						
INDUSTRIAL	52003	52002	1 gal.	4	35 lbs.	36
TRANSMISSION & GEA BOX SUPPLEMENT	52005	52004	2.5 gal.	2	44.lbs.	36
<b>INDUSTRIAL GEAR OILS</b>						
ISO 32	52070	52070	5 gal.	1	38 lbs.	42
	52071	52071	55 gal.	1	445 lbs.	4
ISO 46	52072	52072	5 gal.	1	38 lbs.	42
	52073	52073	55 gal.	1	445 lbs./	4
ISO 68	52074	52074	5 gal.	1	41 lbs	42
	52075	52075	55 gal.	1	442 lbs.	4
ISO 100	52076	52076	5 gal.	1	41 lbs.	42
	52077	52077	55 gal.	1	446 lbs.	4
ISO 150	52078	52078	5 gal.	1	41 lbs.	42
	52079	52079	55 gal.	1	447 lbs	4
ISO 220	52080	52080	5 gal.	1	41 lbs.	42
	52081	52081	55 gal.	1	450 lbs.	4
ISO 320	52082	52082	5 gal.	1	41 lbs.	42
	52083	52083	55 gal.	1	451 lbs.	4
ISO 460	52084	52084	5 gal.	1	41 lbs.	42
	52085	52085	55 gal.	1	452 lbs.	4
ISO 680	52086	52086	5 gal.	1	41 lbs.	42
	52087	52087	55 gal.	1	450 lbs.	4
ISO 1000	52088	52088	5 gal.	1	41 lbs.	42
	52089	52089	55 gal.	1	450 lbs.	4
ISO 1500	52090	52090	5 gal.	1	42 lbs.	42
	52091	52091	55 gal.	1	462 lbs.	4
<b>INDUSTRIAL GEAR OIL</b>						
with T&GB						
ISO 150	57260	57260	5 gal.	1	41 lbs.	42
	57261	57261	55 gal.	1	447 lbs	4
ISO 220	57262	57262	5 gal.	1	41 lbs.	42
	57263	57263	55 gal.	1	450 lbs.	4
ISO 320	57264	57264	5 gal.	1	41 lbs.	42
	57265	57265	55 gal.	1	451 lbs.	4
ISO 460	57266	57266	5 gal.	1	41 lbs.	42
	57267	57267	55 gal.	1	452 lbs.	4
ISO 680	57268	57268	5 gal.	1	41 lbs.	42
	57269	57269	55 gal.	1	450 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART NO.	NET CON'T	UNITS\N CASE	APPROX. CASE WT.	NO.\N PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>GEAR BOX LUBRICANTS, cont.</b>						
<b>SPINDLE OIL</b>						
ISO 10	51506	51506	5 gal.	1	41 lbs.	42
	51507	51507	55 gal.	1	450 lbs.	4
ISO 15	51508	51508	5 gal.	1	41 lbs.	42
	51509	51509	55 gal.	1	450 lbs.	4
ISO 22	51510	51510	5 gal.	1	42 lbs.	42
	51511	51511	55 gal.	1	462 lbs.	4
<b>MIST OILS</b>						
ISO 32	51110	51110	5 gal.	1	38 lbs.	42
	51111	51111	55 gal.	1	436 lbs.	4
ISO 100	51112	51112	5 gal.	1	38 lbs.	42
	51113	51113	55 gal.	1	440 lbs.	4
ISO 320	51114	51114	5 gal.	1	38 lbs.	42
	51115	51115	55 gal.	1	440 lbs.	4
ISO 460	51116	51116	5 gal.	1	38 lbs.	42
	51117	51117	55 gal.	1	440 lbs.	4
<b>TOOL JOINT &amp; THREAD COMPOUND</b>						
	55150	55150	45 lbs.	1	45 lbs.	42
	55152	55152	150 lbs.	1	150 lbs.	9
<b>HEAVY-DUTY OPEN GEAR LUBE</b>						
Visc. SUS @ 100°F. 6,800	53900	53900	55 gal.	1	410 lbs.	4
Visc. SUS @ 100°F. 12,300	53910	53910	55 gal.	1	410 lbs.	4
Visc. SUS @ 100°F. 50,900	53920	53920	55 gal.	1	410 lbs.	4
<b>HIGH-PERFORMANCE OPEN GEAR LUBES</b>						
Visc. SUS @ 100°F. 25,000	57270	57270	55 gal.	1	410 lbs.	4
Visc. SUS @ 100°F. 8,000	57272	57272	55 gal.	1	410 lbs.	4
<b>ENVIRONMENTALLY FRIENDLY OPEN GEAR LUB</b>						
Visc. cSt. 40°C. 22,000	57290	57290	120 lbs.	1	410 lbs.	4
	57291	57291	55 gal.	1	410 lbs.	4
<b>STEAM CYLINDER OIL:</b>						
ISO 460	55140	55140	5 gal.	1	38 lbs.	42
	55141	55141	55 gal.	1	440 lbs.	4
ISO 680	55142	55142	5 gal.	1	38 lbs.	42
	55143	55143	55 gal.	1	440 lbs.	4
ISO 1000	55144	55144	5 gal.	1	38 lbs.	42
	55145	55145	55 gal.	1	440 lbs.	4
<b>ROCK DRILL OILS</b>						
ISO 150	55135	55135	5 gal.	1	38 lbs.	42
	55136	55136	55 gal.	1	440 lbs.	4
ISO 150/220	55137	55137	5 gal.	1	38 lbs.	42
	55138	55138	55 gal.	1	440 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>GEAR BOX LUBRICANTS, cont.</b>						
<b>SYNTHETIC (PAO) GEAR BOX LUBRICANTS, cont.</b>						
<b>SYNTHETIC (PAO) GEAR BOX LUBRICANTS</b>						
<b>SYNTHETIC PAO INDUSTRIAL GEAR LUBRICANTS</b>						
ISO 32	51070	51070	5 gal.	1	38 lbs.	42
	51071	51071	55 gal.	1	440 lbs.	4
ISO 46	51072	51072	5 gal.	1	38 lbs.	42
	51073	51073	55 gal.	1	440 lbs.	4
ISO 68	51074	51074	5 gal.	1	38 lbs.	42
	51075	51075	55 gal.	1	440 lbs.	4
ISO 100	51076	51076	5 gal.	1	38 lbs.	42
	51077	51077	55 gal.	1	440 lbs.	4
ISO 150	51078	51078	5 gal.	1	38 lbs.	42
	51079	51079	55 gal.	1	440 lbs.	4
ISO 220	51080	51080	5 gal.	1	39 lbs.	42
	51081	51081	55 gal.	1	440 lbs.	4
ISO 320	51082	51082	5 gal.	1	39 lbs.	42
	51083	51083	55 gal.	1	440 lbs.	4
ISO 460	51084	51084	5 gal.	1	39 lbs.	42
	51085	51085	55 gal.	1	440 lbs.	4
ISO 680	51086	51086	5 gal.	1	39 lbs.	42
	51087	51087	55 gal.	1	440 lbs.	4
ISO 1000	51088	51088	5 gal.	1	39 lbs.	42
	51089	51089	55 gal.	1	440 lbs.	4
<b>SYNTHETIC PAO HEAVY DUTY INDUSTRIAL GEAR OILS</b>						
ISO 150	51092	51092	5 gal.	1	40 lbs.	42
	51093	51093	55 gal.	1	440 lbs.	4
ISO 220	51094	51094	5 gal.	1	41 lbs.	42
	51095	51095	55 gal.	1	441 lbs.	4
ISO 320	51096	51096	5 gal.	1	41 lbs.	42
	51097	51097	55 gal.	1	445 lbs.	4
ISO 460	51098	51098	5 gal.	1	41 lbs.	42
	51099	51099	55 gal.	1	443 lbs.	4
ISO 680	51100	51100	5 gal.	1	41 lbs.	42
	51101	51101	55 gal.	1	448 lbs.	4
ISO 1000	51102	51102	5 gal.	1	41 lbs.	42
	51103	51103	55 gal.	1	448 lbs.	4

BALANCE OF PAGE

INTENTIONALLY

LEFT BLANK



	CASE PART NO.	PART NO.	NET CONT	UNITS\ CASE	APPROX. CASE WT.	NO\ PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>GEAR BOX LUBRICANTS, cont.</b>						
<b>SYNTHETIC (PAO) GEAR BOX LUBRICANTS, cont.</b>						
<b>SYNTHETIC (PAO) GEAR &amp; BEARING OILS</b>						
ISO 32	51120	51120	5 gal.	1	38 lbs.	42
	51121	51121	55 gal.	1	418 lbs.	4
ISO 46	51122	51122	5 gal.	1	39 lbs.	42
	51123	51123	55 gal.	1	420 lbs.	4
ISO 68	51124	51124	5 gal.	1	39 lbs.	42
	51125	51125	55 gal.	1	423 lbs.	4
ISO 100	51126	51126	5 gal.	1	39 lbs.	42
	51127	51127	55 gal.	1	424 lbs.	4
ISO 150	51128	51128	5 gal.	1	39 lbs.	42
	51129	51129	55 gal.	1	427 lbs.	4
ISO 320	51132	51132	5 gal.	1	39 lbs.	42
	51133	51133	55 gal.	1	429 lbs.	4
ISO 460	51134	51134	5 gal.	1	40 lbs.	42
	51135	51135	55 gal.	1	431 lbs.	4
<b>SYNTHETIC MIST OILS</b>						
ISO 220	56656	56656	5 gal.	1	38 lbs.	42
	56657	56657	55 gal.	1	440 lbs.	4
ISO 460	56658	56658	5 gal.	1	38 lbs.	42
	56659	56659	55 gal.	1	440 lbs.	4
<b>SYNTHETIC (PAO) VACUUM PUMP OILS</b>						
ISO 15	51270	51270	5 gal.	1	38 lbs.	42
	51271	51271	55 gal.	1	436 lbs.	4
ISO 22	51272	51272	5 gal.	1	38 lbs.	42
	51273	51273	55 gal.	1	436 lbs.	4
ISO 32	51274	51274	5 gal.	1	38 lbs.	42
	51275	51275	55 gal.	1	436 lbs.	4
ISO 68	51276	51276	5 gal.	1	38 lbs.	42
	51277	51277	55 gal.	1	436 lbs.	4
ISO 100	51278	51278	5 gal.	1	38 lbs.	42
	51279	51279	55 gal.	1	436 lbs.	4
<b>SYN. (PAO) BLOWER LUBRICANT</b>						
ISO 220	56690	56690	5 gal.	1	38 lbs.	42
	56691	56691	55 gal.	1	436 lbs.	4
ISO 320	56692	56692	5 gal.	1	38 lbs.	42
	56693	56693	55 gal.	1	436 lbs.	4
<b>SYNTHETIC (PAO) PAPER MACHINE OILS</b>						
ISO 220	51245	51245	5 gal.	1	38 lbs.	42
	51246	51246	55 gal.	1	440 lbs.	4
ISO 320	51247	51247	5 gal.	1	38 lbs.	42
	51248	51248	55 gal.	1	440 lbs.	4

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>GEAR BOX LUBRICANTS, cont.</b>						
<b>SYNTHETIC (PAO) GEAR BOX LUBRICANTS, cont.</b>						
<b>SYNTHETIC (PAO)</b>						
<b>H. T. HEAT TRANSFER OILS</b>						
-50 to 500°F.	51260	51260	5 gal.	1	36 lbs.	42
	51261	51261	55 gal.	1	436 lbs.	4
-20 to 600°F.	51262	51262	5 gal.	1	36 lbs.	42
	51263	51263	55 gal.	1	436 lbs.	4
0 to 575°F.	51264	51264	5 gal.	1	36 lbs.	42
	51265	51265	55 gal.	1	436 lbs.	4
<b>SYNTHETIC (PAO)</b>						
<b>AIR LINE OILS</b>						
ISO 32	51460	51460	5 gal.	1	36 lbs.	42
	51461	51461	55 gal.	1	436 lbs.	4
ISO 68	51462	51462	5 gal.	1	36 lbs.	42
	51363	51463	55 gal.	1	436 lbs.	4

<b>SYNTHETIC (PAG) GEAR BOX LUBRICANTS, cont.</b>						
<b>SYNTHETIC (PAG)</b>						
<b>GEAR &amp; BEARING OILS</b>						
ISO 150	53090	53090	5 gal.	1	40 lbs.	42
	53091	53091	55 gal.	1	440 lbs.	4
ISO 220	53092	53092	5 gal.	1	41 lbs.	42
	53093	53093	55 gal.	1	442 lbs.	4
ISO 320	53094	53094	5 gal.	1	41 lbs.	42
	53095	53095	55 gal.	1	445 lbs.	4
<b>POLYGLYCOL GEAR, BEARING &amp; GAS COMPRESSORS LUBRICANTS</b>						
ISO 2	51390	51390	5 gal.	1	38 lbs.	42
	51391	51391	55 gal.	1	440 lbs.	4
ISO 68	51392	51392	5 gal.	1	38 lbs.	42
	51393	51393	55 gal.	1	440 lbs.	4
ISO 100	51394	51394	5 gal.	1	38 lbs.	42
	51395	51395	55 gal.	1	440 lbs.	4
ISO 150	51396	51396	5 gal.	1	38 lbs.	42
	51397	51397	55 gal.	1	440 lbs.	4

<b>SEMI-SYNTHETIC GEAR BOX LUBRICANTS</b>						
<b>SEMI-SYNTHETIC INDUSTRIAL GEAR OILS</b>						
ISO 220	51236	51236	5 gal.	1	38 lbs.	42
	51237	51237	55 gal.	1	445 lbs.	4
<b>SEMI-SYN. VACUUM PUMP OIL</b>						
ISO 22	56650	56650	5 gal.	1	38 lbs.	42
	56651	56651	55 gal.	1	436 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>GEAR BOX LUBRICANTS, cont.</b>						
<b>SEMI-SYNTHETIC GEAR BOX LUBRICANTS</b>						
<b>SEMI-SYNTHETIC HIGH-TEMP</b>						
<b>HEAT TRANSFER OIL</b>						
ISO 10	51450	51450	5 gal.	1	38 lbs.	42
	51451	51451	55 gal.	1	440 lbs.	4
ISO 15	51452	51452	5 gal.	1	38 lbs.	42
	51453	51453	55 gal.	1	440 lbs.	4
ISO 22	51454	51454	5 gal.	1	38 lbs.	42
	51455	51455	55 gal.	1	440 lbs.	4
ISO 32	51456	51456	5 gal.	1	38 lbs.	42
	51457	51457	55 gal.	1	440 lbs.	4
ISO 46	51458	51458	5 gal.	1	38 lbs.	42
	51459	51459	55 gal.	1	440 lbs.	4
<b>SEMI-SYN. AIR LINE OILS</b>						
ISO 32	51465	51465	5 gal.	1	36 lbs.	42
	51466	51466	55 gal.	1	436 lbs.	4
ISO 68	51467	51467	5 gal.	1	36 lbs.	42
	51468	51468	55 gal.	1	436 lbs.	4
<b>FOOD GRADE &amp; KOSHER PRODUCTS - PETROLEUM &amp; PAO</b>						
<b>FOOD GRADE SYNTHETIC (PAO)</b>						
<b>INDUSTRIAL GEAR OILS</b>						
ISO 32	55160	55160	5 gal.	1	40 lbs.	42
	55161	55161	55 gal.	1	440 lbs.	4
ISO 46	55162	55162	5 gal.	1	41 lbs.	42
	55163	55163	55 gal.	1	442 lbs.	4
ISO 68	55164	55164	5 gal.	1	41 lbs.	42
	55165	55165	55 gal.	1	445 lbs.	4
ISO 100	55166	55166	5 gal.	1	41 lbs.	42
	55167	55167	55 gal.	1	443 lbs.	4
ISO 150	55168	55168	5 gal.	1	41 lbs.	42
	55169	55169	55 gal.	1	443 lbs.	4
ISO 220	55170	55170	5 gal.	1	41 lbs.	42
	55171	55171	55 gal.	1	445 lbs.	4
ISO 320	55172	55172	5 gal.	1	41 lbs.	42
	55173	55173	55 gal.	1	443 lbs.	4
ISO 460	55174	55174	5 gal.	1	41 lbs.	42
	55175	55175	55 gal.	1	443 lbs.	4
<b>SYNTHETIC (PAO) FOOD GRADE OIL</b>						
ISO 68	55200	55200	5 gal.	1	39 lbs.	42
	55202	55202	55 gal.	1	420 lbs.	4
<b>FOOD GRADE AW MACHINE OILS</b>						
ISO 32	53000	53000	5 gal.	1	40 lbs.	42
	53001	53001	55 gal.	1	438 lbs.	4
ISO 46	53002	53002	5 gal.	1	40 lbs.	42
	53003	53003	55 gal.	1	441 lbs.	4
ISO 68	53004	53004	5 gal.	1	41 lbs.	42
	53005	53005	55 gal.	1	446 lbs.	4
ISO 100	53006	53006	5 gal.	1	41 lbs.	42
	53007	53007	55 gal.	1	446 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART NO.	NET CONT	UNITS CASE	APPROX. CASE WT.	NO. PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>GEAR BOX LUBRICANTS, cont.</b>						
<b>FOOD GRADE &amp; KOSHER PRODUCTS - PETROLEUM &amp; PAO, cont.</b>						
<b>FOOD GRADE MACHINERY OILS</b>						
ISO 15	54012	54012	5 gal.	1	39 lbs.	4
	54013	54013	55 gal.	1	427 lbs.	42
ISO 32	54014	54014	5 gal.	1	39 lbs.	4
	54015	54015	55 gal.	1	430 lbs.	42
ISO 46	54016	54016	5 gal.	1	40 lbs.	4
	54017	54017	55 gal.	1	433 lbs.	42
ISO 68	54018	54018	5 gal.	1	40 lbs./	4
	54019	54019	55 gal.	1	435 lbs.	42
ISO 100	54020	54020	5 gal.	1	40 lbs.	4
	54021	54021	55 gal.	1	438 lbs.	42
<b>SYNTHETIC (PAO) FOOD GRADE HIGH &amp; LOW TEMPERATURE GEAR &amp; BEARING OILS</b>						
ISO 5	55340	55340	5 gal.	1	38 lbs.	42
	55341	55341	55 gal.	1	406 lbs.	4
ISO 15	55342	55342	5 gal.	1	38 lbs.	42
	55343	55343	55 gal.	1	416 lbs.	4
ISO 32	55344	55344	5 gal.	1	38 lbs.	42
	55345	55345	55 gal.	1	418 lbs.	4
ISO 46	55346	55346	5 gal.	1	39 lbs.	42
	55347	55347	55 gal.	1	420 lbs.	4
ISO 68	55348	55348	5 gal.	1	39 lbs.	42
	55349	55349	55 gal.	1	423 lbs.	4
ISO 100	55350	55350	5 gal.	1	39 lbs.	42
	55351	55351	55 gal.	1	424 lbs.	4
<b>FOOD GRADE SYNTHETIC (PAO) INDUSTRIAL GEAR OILS (KOSHER)</b>						
ISO 150	56600	56600	5 gal.	1	40 lbs.	42
	56601	56601	55 gal.	1	440 lbs.	4
ISO 220	56602	56602	5 gal.	1	41 lbs.	42
	56603	56603	55 gal.	1	442 lbs.	4
ISO 320	56604	56604	5 gal.	1	41 lbs.	42
	56605	56605	55 gal.	1	445 lbs.	4
ISO 460	56606	56606	5 gal.	1	41 lbs.	42
	56607	56607	55 gal.	1	443 lbs.	4
ISO 680	56608	56608	5 gal.	1	41 lbs.	42
	56609	56609	55 gal.	1	443 lbs.	4
<b>FOOD GRADE SYNTHETIC (PAO) BLOWER LUBRICANT (KOSHER)</b>						
ISO 220	56694	56694	5 gal.	1	40 lbs./	4
	56695	56695	55 gal.	1	435 lbs.	42
ISO 320	56696	56696	5 gal.	1	40 lbs.	4
	56697	56697	55 gal.	1	438 lbs.	42
<b>BIODEGRADABLE SYNTHETIC Ester</b>						
<b>EP GEAR OIL</b>						
ISO 68	57250	57250	5 gal.	1	40 lbs./	4
	57251	57251	55 gal.	1	435 lbs.	42
ISO 100	57252	57252	5 gal.	1	40 lbs./	4
	57253	57253	55 gal.	1	435 lbs.	42
ISO 150	57254	57254	5 gal.	1	40 lbs.	42
	57255	57255	55 gal.	1	434 lbs.	4

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
<b>INDUSTRIAL PRODUCTS, Cont.</b>						
<b>GEAR BOX LUBRICANTS, cont.</b>						
<b>CHAIN LUBRICANTS</b>						
HIGH TEMP FG BAKERY	55450	55450	5 gal.	1	38 lbs.	4
OVEN CHAIN LUBE - H-2	55451	55451	55 gal.	1	440 lbs.	42
SYN. (Polypropylene Glycol)	55456	55456	5 gal.	1	38 lbs.	4
BAKERY FG OVEN CHAIN LUBE	55457	55457	55 gal.	1	440 lbs.	42
SYNTHETIC (POE) HIGH-TEM	55460	55460	5 gal.	1	38 lbs.	4
LUBRICANT - H-2	55461	55461	55 gal.	1	440 lbs.	42
HI-TEMP (POE)	51257	51256	1 gal.	4	36 lbs.	36
OVEN & CHAIN OIL	51258	51258	5 gal.	1	38 lbs.	42
ISO 220	51259	51259	55 gal.	1	440 lbs.	4
<b>HIGH TEMPERATURE</b>						
<b>OVEN-CHAIN OILS</b>						
Ester	57020	57020	5 gal.	1	38 lbs.	42
	57021	57021	55 gal.	1	440 lbs.	4
Ester	57022	57022	5 gal.	1	38 lbs.	42
	57023	57023	55 gal.	1	440 lbs.	4
ISO 150 - Ester	51252	51252	5 gal.	1	38 lbs.	42
	51253	51253	55 gal.	1	440 lbs.	4
ISO 150 - Partial Synthetic	51254	51254	5 gal.	1	38 lbs.	42
	51255	51255	55 gal.	1	440 lbs.	4
<b>SYN. FOOD GRADE LOW</b>						
<b>TEMP CHAIN LUBE</b>						
ISO 15	57200	57200	5 gal.	1	39 lbs.	4
	57201	57201	55 gal.	1	427 lbs.	42
ISO 68	57202	57202	5 gal.	1	39 lbs.	4
	57203	57203	55 gal.	1	430 lbs.	42
ISO 100	57204	57204	5 gal.	1	40 lbs.	4
	57205	57205	55 gal.	1	433 lbs.	42
ISO 150	57206	57206	5 gal.	1	40 lbs./	4
	57207	57207	55 gal.	1	435 lbs.	42
ISO 220	57208	57208	5 gal.	1	40 lbs.	4
	57209	57209	55 gal.	1	438 lbs.	42
ISO 320	57210	57210	5 gal.	1	40 lbs./	4
	57211	57211	55 gal.	1	435 lbs.	42
ISO 460	57212	57212	5 gal.	1	40 lbs.	4
	57213	57213	55 gal.	1	438 lbs.	42
<b>BIODEGRADABLE SYNTHETIC (POE)</b>						
<b>ESCALATORS &amp; PASSENGER</b>						
CONVEYORS CHAIN OIL	53048	53048	5 gal.	1	43 lbs.	42
	53049	53049	55 gal.	1	460 lbs.	4

<b>CONCRETE PRODUCTS</b>						
CONCRETE FORM OIL	57420	57420	5 gal.	1	38 lbs.	4
	57421	57421	55 gal.	1	440 lbs.	42
BIODEGRADABLE	57330	57330	5 gal.	1	38 lbs.	4
CONCRETE FORM OIL	57332	57332	55 gal.	1	440 lbs.	42

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART NO.	NET CON'T	UNITS\N CASE	APPROX. CASE WT.	NO.\N PALLET
<b>HYDRAULIC &amp; TURBINE PRODUCT</b>						
<b>HYDRAULIC PRODUCT</b>						
HYDRAULIC SUPPLEMENT	52276 52278 52280	52275 52277 52279	11 oz. 1 gal. 2.5 gal.	12 4 2	10 lbs. 35 lbs. 44 lbs.	96 36 36
<b>AW/AL HYDRAULIC FLUIDS</b>						
ISO 32, SAE 10W	52100 52101	52100 52101	5 gal. 55 gal.	1 1	40 lbs. 437 lbs.	42 4
ISO 46, SAE 15W	52102 52103	52102 52103	5 gal. 55 gal.	1 1	40 lbs. 440 lbs.	42 4
ISO 68, SAE 20W-20	52104 52105	52104 52105	5 gal. 55 gal.	1 1	40 lbs. 440 lbs.	42 4
ISO 100, SAE 30W	52106 52107	52106 52107	5 gal. 55 gal.	1 1	41 lbs. 442 lbs.	42 4
ISO 150, SAE 40W	52108 52109	52108 52109	5 gal. 55 gal.	1 1	41 lbs. 445 lbs.	42 4
ISO 220, SAE 50W	52110 52111	52110 52111	5 gal. 55 gal.	1 1	40 lbs. 440 lbs.	42 4
ISO 32, SAE 5W-20	52112 52113	52112 52113	5 gal. 55 gal.	1 1	40 lbs. 440 lbs.	42 4
ISO 46, SAE 10W-20	52114 52115	52114 52115	5 gal. 55 gal.	1 1	40 lbs. 440 lbs.	42 4
<b>AW HYDRAULIC FLUIDS</b>						
ISO 32, SAE 10W	52142 52143	52142 52143	5 gal. 55 gal.	1 1	40 lbs. 437 lbs.	42 4
ISO 46, SAE 15W	52144 52145	52144 52145	5 gal. 55 gal.	1 1	40 lbs. 439 lbs.	42 4
ISO 68, SAE 20W-20	52146 52147	52146 52147	5 gal. 55 gal.	1 1	40 lbs. 440 lbs.	42 4
ISO 100, SAE 30W	52148 52149	52148 52149	5 gal. 55 gal.	1 1	40 lbs. 440 lbs.	42 4
<b>NON-ZINC HYDRAULIC FLUIDS</b>						
ISO 32 - Special Order	52116 52117	52116 52117	5 gal. 55 gal.	1 1	40 lbs. 440 lbs.	42 4
ISO 46 - Special Order	52118 52119	52118 52119	5 gal. 55 gal.	1 1	40 lbs. 440 lbs.	42 4
ISO 68 - Special Order	52120 52121	52120 52121	5 gal. 55 gal.	1 1	40 lbs. 440 lbs.	42 4
<b>CIRCULATING OILS FOR ROTARY SCREW AIR COMPRESSORS &amp; HYDRAULIC APPLICATIONS</b>						
ISO 15	51570 51571	51570 51571	5 gal. 55 gal.	1 1	40 lbs. 433 lbs.	42 4
ISO 32	51572 51573	51572 51573	5 gal. 55 gal.	1 1	40 lbs. 436 lbs.	42 4
ISO 46	51574 51575	51574 51575	5 gal. 55 gal.	1 1	40 lbs. 430 lbs.	42 4
ISO 68	51576 51577	51576 51577	5 gal. 55 gal.	1 1	40 lbs. 435 lbs.	42 4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART NO.	NET CON'T	UNITS CASE	APPROX. CASE WT.	NO. PALLET
<b>HYDRAULIC &amp; TURBINE PRODUCT, cont.</b>						
<b>SYNTHETIC &amp; SEMI-SYNTHETIC HYDRAULIC PRODUCT</b>						
<b>SYNTHETIC PAO AW HYDRAULIC FLUIDS</b>						
ISO 15	51200	51200	5 gal.	1	40 lbs.	42
	51201	51201	55 gal.	1	430 lbs.	4
ISO 22	51202	51202	5 gal.	1	40 lbs.	4
	51203	51203	55 gal.	1	432 lbs.	42
ISO 32	51204	51204	5 gal.	1	40 lbs.	4
	51205	51205	55 gal.	1	432 lbs.	42
ISO 46	51206	51206	5 gal.	1	40 lbs.	42
	51207	51207	55 gal.	1	432 lbs.	4
ISO 68	51208	51208	5 gal.	1	40 lbs.	42
	51209	51209	55 gal.	1	435 lbs.	4
ISO 100	51210	51210	5 gal.	1	40 lbs.	42
	51211	51211	55 gal.	1	438 lbs.	4
<b>PARTIAL SYNTHETIC AW HYDRAULIC FLUIDS</b>						
ISO 32	51213	51213	5 gal.	1	40 lbs.	42
	51214	51214	55 gal.	1	434 lbs.	4
ISO 46	51215	51215	5 gal.	1	40 lbs.	42
	51216	51216	55 gal.	1	436 lbs.	4
ISO 68	51217	51217	5 gal.	1	40 lbs.	42
	51218	51218	55 gal.	1	438 lbs.	4
ISO 100	51219	51219	5 gal.	1	40 lbs.	42
	51220	51220	55 gal.	1	440 lbs.	4
<b>HYDRAULIC PRODUCT FIRE RESISTANCE &amp; SYNTHETIC, Cont.</b>						
<b>FIRE-RESISTANCE DIETHYLENE GLYCOL-WATER HYDRAULIC FLUIDS</b>						
ISO 32 S.O.	55250	55250	5 GAL.	1	49 lbs.	42
	55251	55251	55 GAL.	1	535 lbs.	4
ISO 46 S.O.	55254	55254	5 GAL.	1	50 lbs.	42
	55255	55255	55 GAL.	1	540 lbs.	4
<b>HIGH-PRESSURE FIRE-RESISTANCE WATER-GLYCOL HYDRAULIC FLUID</b>						
ISO 46 S.O.	55130	55130	5 GAL.	1	50 lbs.	42
	55131	55131	55 GAL.	1	540 lbs.	4
<b>FIRE-RESISTANT HYDRAULIC FLUID WATER-IN-OIL EMULSION</b>						
ISO 32 S.O.	55270	55270	5 gal.	1	40 lbs.	42
	55271	55271	55 gal.	1	440 lbs.	4
ISO 46 S.O.	55272	55272	5 gal.	1	38 lbs.	42
	55273	55273	55 gal.	1	440 lbs.	4
ISO 68 S.O.	55274	55274	5 gal.	1	38 lbs.	42
	55275	55275	55 gal.	1	440 lbs.	4
ISO 100 S.O.	55276	55276	5 gal.	1	38 lbs.	42
	55277	55277	55 gal.	1	440 lbs.	4
ISO 220 S.O.	55278	55278	5 gal.	1	38 lbs.	42
	55279	55279	55 gal.	1	440 lbs.	4
<b>FIRE-RESISTANT NON-AQUEOUS POLYALKYLENE GLYCOL HYDRAULIC FLUID</b>						
ISO 46 S.O.	55260	55260	5 gal.	1	40 lbs.	42
	55261	55261	55 gal.	1	440 lbs.	4
ISO 68 S.O.	55262	55262	5 gal.	1	40 lbs.	42
	55263	55263	55 gal.	1	440 lbs.	4
ISO 100 S.O.	55264	55264	5 gal.	1	40 lbs.	42
	55265	55265	55 gal.	1	440 lbs.	4

page 16	CASE PART NO.	PART NO.	NET CONT	UNITS\ CASE	APPROX. CASE WT.	NO\ PALLET
<b>FOOD GRADE &amp; KOSHER</b>						
<b>FOOD GRADE AW MACHINE OILS</b>						
ISO 32	53000	53000	5 gal.	1	40 lbs.	42
	53001	53001	55 gal.	1	440 lbs.	4
ISO 46	53002	53002	5 gal.	1	40 lbs.	42
	53003	53003	55 gal.	1	440 lbs.	4
ISO 68	53004	53004	5 gal.	1	40 lbs.	42
	53005	53005	55 gal.	1	445 lbs.	4
ISO 100	53006	53006	5 gal.	1	40 lbs.	42
	53007	53007	55 gal.	1	445 lbs.	4
<b>FOOD GRADE MACHINERY OILS</b>						
ISO 15	54012	54012	5 gal.	1	40 lbs.	4
	54013	54013	55 gal.	1	426 lbs.	42
ISO 32	54014	54014	5 gal.	1	40 lbs.	4
	54015	54015	55 gal.	1	430 lbs.	42
ISO 46	54016	54016	5 gal.	1	40 lbs.	4
	54017	54017	55 gal.	1	432 lbs.	42
ISO 68	54018	54018	5 gal.	1	40 lbs.	4
	54019	54019	55 gal.	1	435 lbs.	42
ISO 100	54020	54020	5 gal.	1	40 lbs.	4
	54021	54021	55 gal.	1	438 lbs.	42
<b>SYNTHETIC (PAO) FOOD GRADE HYDRAULIC FLUIDS</b>						
ISO 15	51224	51224	5 gal.	1	39 lbs.	42
	51225	51225	55 gal.	1	418 lbs.	4
ISO 32	51226	51226	5 gal.	1	39 lbs.	42
	51227	51227	55 gal.	1	418 lbs.	4
ISO 46	51228	51228	5 gal.	1	39 lbs.	42
	51229	51229	55 gal.	1	420 lbs.	4
ISO 68	51230	51230	5 gal.	1	39 lbs.	42
	51231	51231	55 gal.	1	423 lbs.	4
ISO 100	51232	51232	5 gal.	1	40 lbs.	42
	51233	51233	55 gal.	1	426 lbs.	4
<b>SYNTHETIC (PAO) FOOD GRADE HYDRAULIC FLUIDS - (KOSHER)</b>						
ISO 15	56720	56720	5 gal.	1	39 lbs.	42
	56721	56721	55 gal.	1	418 lbs.	4
ISO 32	56722	56722	5 gal.	1	39 lbs.	42
	56723	56723	55 gal.	1	418 lbs.	4
ISO 46	56724	56724	5 gal.	1	39 lbs.	42
	56725	56725	55 gal.	1	420 lbs.	4
ISO 68	56726	56726	5 gal.	1	39 lbs.	42
	56727	56727	55 gal.	1	423 lbs.	4
ISO 100	56728	56728	5 gal.	1	40 lbs.	42
	56729	56729	55 gal.	1	426 lbs.	4
<b>FOOD GRADE WHITE OIL BASED LUBRICANT &amp; HYDRAULIC FLUID</b>						
ISO 32	57100	57100	5 GAL.	1	40 lbs.	42
	57101	57101	55 GAL.	1	440 lbs.	4
ISO 46	57102	57102	5 GAL.	1	40 lbs.	42
	57103	57103	55 GAL.	1	440 lbs.	4
ISO 68	57104	57104	5 GAL.	1	40 lbs.	42
	57105	57105	55 GAL.	1	440 lbs.	4
ISO 100	57106	57106	5 GAL.	1	40 lbs.	42
	57107	57107	55 GAL.	1	440 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK



	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO. PALLET
<b>BIODEGRADABLE &amp; ENVIRONMENTALLY CONSCIOUS HYDRAULIC FLUID</b>						
<b>BIODEGRADABLE SYNTHETIC (POE) HYDRAULIC FLUIDS FOOD GRADE</b>						
ISO 32	54100	54100	5 GAL.	1	40 lbs.	42
	54101	54101	55 GAL.	1	440 lbs.	4
ISO 46	54104	54104	5 GAL.	1	40 lbs.	42
	54105	54105	55 GAL.	1	440 lbs.	4
ISO 68	54108	54108	5 GAL.	1	40 lbs.	42
	54109	54109	55 GAL.	1	440 lbs.	4
ISO 100	54112	54112	5 GAL.	1	40 lbs.	42
	54113	54113	55 GAL.	1	440 lbs.	4
<b>ENVIRONMENTAL FRIENDLY HYDRAULIC FLUIDS</b>						
ISO 32	57180	57180	5 gal.	1	40 lbs.	42
	57181	57181	55 gal.	1	432 lbs.	4
ISO 46	57182	57182	5 gal.	1	40 lbs.	42
	57183	57183	55 gal.	1	438 lbs.	4
ISO 68	57184	57184	5 gal.	1	40 lbs.	42
	57185	57185	55 gal.	1	439 lbs.	4
ISO 100	57186	57186	5 gal.	1	40 lbs.	42
	57187	57187	55 gal.	1	440 lbs.	4
<b>BIODEGRADABLE SYNTHETIC Ester AW HYDRAULIC FLUID</b>						
ISO 32	57240	57240	5 gal.	1	40 lbs.	42
	57241	57241	55 gal.	1	432 lbs.	4
ISO 46	57242	57242	5 gal.	1	40 lbs.	42
	57243	57243	55 gal.	1	438 lbs.	4
ISO 68	57244	57244	5 gal.	1	40 lbs.	42
	57245	57245	55 gal.	1	439 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
<b>HYDRAULIC &amp; TURBINE PRODUCT</b>						
<b>TURBINE OILS</b>						
<b>TURBINE OILS</b>						
ISO 10	55100	55100	5 gal.	1	40 lbs.	42
	55101	55101	55 gal.	1	432 lbs.	4
ISO 32	55102	55102	5 gal.	1	40 lbs.	42
	55103	55103	55 gal.	1	438 lbs.	4
ISO 46	55104	55104	5 gal.	1	40 lbs.	42
	55105	55105	55 gal.	1	439 lbs.	4
ISO 68	55106	55106	5 gal.	1	40 lbs.	42
	55107	55107	55 gal.	1	440 lbs.	4
ISO 100	55108	55108	5 gal.	1	41 lbs.	42
	55109	55109	55 gal.	1	442 lbs.	4
ISO 150	55110	55110	5 gal.	1	41 lbs.	42
	55111	55111	55 gal.	1	444 lbs.	4
ISO 220	55112	55112	5 gal.	1	41 lbs.	42
	55113	55113	55 gal.	1	445 lbs.	4
ISO 320	55114	55114	5 gal.	1	41 lbs.	42
	55115	55115	55 gal.	1	447 lbs.	4
ISO 460	55116	55116	5 gal.	1	41 lbs.	42
	55117	55117	55 gal.	1	448 lbs.	4

**SYNTHETIC TURBINE OILS**

<b>SYNTHETIC PAO</b>						
<b>GAS TURBINE OILS</b>						
ISO 32	51240	51240	5 gal.	1	40 lbs.	42
	51241	51241	54 gal.	1	425 lbs.	4
ISO 46	51242	51242	5 gal.	1	40 lbs.	42
	51243	51243	55 gal.	1	427 lbs.	4
<b>SYNTHETIC TURBINE OILS for Stationary &amp; Marine Gas Turbines</b>						
ISO 32 - PAO	56660	56660	5 gal.	1	40 lbs.	42
	56661	56661	55 gal.	1	432 lbs.	4
MIL-L-23699 POE	56662	56662	5 gal.	1	40 lbs.	42
	56663	56663	55 gal.	1	438 lbs.	4
MIL-L-23699 POE	56664	56664	5 gal.	1	40 lbs.	42
	56665	56665	55 gal.	1	439 lbs.	4
MIL-L-23699 POE	56666	56666	5 gal.	1	40 lbs.	42
	56667	56667	55 gal.	1	440 lbs.	4

**FARM PRODUCTS**

UNIVERSAL TRANS-	52125	52125	5 gal.	1	41 lbs.	42
HYDRAULIC, SAE 10W-	52126	52126	55 gal.	1	445 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

**THE FOLLOWING PRODUCTS ARE USDA FOOD GRADE, KOSHER, &/or BIODEGRADABLE API**

---

**GEAR BOX LUBRICANTS**

---

52070 - 52091 INDUSTRIAL GEAR OILS, USDA: H-2  
52095 - 52096 FOOD GRADE MACHINERY OIL & SUPPLEMENT, USDA: H-1  
53000 - 53007 FOOD GRADE AW MACHINE OIL, USDA: H-1  
54012 - 54021 FOOD GRADE MACHINE OILS, USDA: H-1  
55200 - 55202 SYNTHETIC (PAO) FOOD GRADE OIL, USDA: H-1  
56600 - 56609 SYNTHETIC (PAO) FOOD GRADE INDUSTRIAL GEAR OILS (KOSHER)  
55340 - 55359 SYN. (PAO) FOOD GRADE HIGH & LOW TEMP. GEAR, & BEARING OILS, USDA: H-1  
56694 - 56697 SYNTHETIC (PAO) FOOD GRADE BLOWER LUBRICANT (KOSHER)  
55160 - 55169 FOOD GRADE SYN. (PAO) INDUSTRIAL GEAR OILS, USDA: H-2  
57250 - 57255 BIODEGRADABLE SYNTHETIC (ESTER) EP GEAR LUBRICANT,  
57200 - 57213 FOOD GRADE LOW TEMP CHAIN LUBE, USDA: H-1

**HYDRAULIC FLUIDS**

---

52100 - 52115 AW/AL HYDRAULIC FLUID, USDA: H-2  
53000 - 53007 FOOD GRADE AW MACHINE OILS, USDA: H-1  
54012 - 54021 FOOD GRADE MACHINERY OILS, USDA: H-1  
51226 - 51233 SYNTHETIC FOOD GRADE HYDRAULIC FLUIDS, USDA: H-1  
56720 - 56729 SYN. (PAO) FOOD GRADE HYDRAULIC FLUID, KOSHER  
55300 - 55311 SYN. (PAO) FOOD GRADE RECIPROCATING AIR COMPRESSOR & HYDRAULIC OILS, USDA: H-1  
55130 - 55131 HIGH-PRESSURE FIRE-RESISTANCE WATER-GLYCOL HYDRAULIC FLUID FOOD GRADE, USDA: H-2  
55340 - 55351 SYN. FOOD GRADE HIGH & LOW TEMP. GEAR, BEARING, & HYDRAULIC OILS, USDA: H-1  
54100 - 54113 BIODEGRADABLE SYNTHETIC HYDRAULIC FLUIDS, USDA: H-2  
57240 - 57245 BIODEGRADABLE SYNTHETIC (ESTER) AW HYDRAULIC FLUID,

**COMPRESSOR OILS**

---

53100 - 53117 FOOD GRADE COMPRESSOR OILS, USDA: H-2  
51300 - 51309 SYNTHETIC (PAO) FOOD GRADE COMPRESSOR OILS, USDA: H-1  
56630 - 56637 SYN. (PAO) FOOD GRADE COMPRESSOR OIL, KOSHER  
53056 - 53057 SYN. FOOD GRADE COMPRESSOR OIL FOR CO2 APPLICATIONS, USDA: H-1  
54040 - 54044 SYN. (PAO) F.G. ROTARY SCREW, RECIPROCATING COMP. OIL for CO2 Applications, USDA: H-1  
55300 - 55315 SYNTHETIC (PAO) RECIPROCATING AIR COMPRESSOR OIL FOOD GRADE, USDA: H-1  
53046 - 53047 SEMI-SYNTHETIC AMMONIA REFRIGERATION OIL, USDA: H-2  
55320 - 55331 SYNTHETIC FOOD GRADE ROTARY SCREW COMPRESSOR OILS, USDA: H-1  
56610 - 56615 SYN. (PAO) FOOD GRADE REFRIGERATION OIL, KOSHER  
56210 - 56225 SYN. (PAO) F/G AIR COMPRESSOR, ROTARY SCREW, RECIPROCATING COMP. & CRANKCASE LUBE. USDA: H-1

**CHAIN LUBRICANTS**

---

55450 - 55451 HIGH TEMPERATURE BAKERY OVEN CHAIN LUBRICANT, USDA: H-2  
56590 - 56599 FOOD GRADE CHAIN LUBE, USDA: H-2  
56580 - 56589 SYNTHETIC FOOD GRADE LOW TEMP CHAIN LUBE,  
51256 - 51259 SYNTHETIC HIGH-TEMPERATURE OVEN & CHAIN LUBRICANT, USDA: H-2  
55460 - 55461 SYNTHETIC HIGH TEMPERATURE CHAIN LUBRICANT, USDA: H-2  
55456 - 55457 SYNTHETIC (POLYPROPYLENE GLYCOL) FOOD GRADE BAKERY OVEN CHAIN LUBE, USDA: H-2

**GREASE**

---

52170 - HI-TEMP. EXTREME PRESSURE FOOD GRADE GREASE, USDA: H-1  
00880 - HI-TEMP EXTREME PRESSURE LITHIUM COMPLEX GREASE, USDA: H-2  
10262 - FOOD GRADE OIL, (AEROSOL), USDA: H-1

---

**AEROSOL**

---

10264 - FOOD GRADE OIL, USDA: H-1  
10265 - WHITE LITHIUM GREASE AEROSOL, USDA: H-1  
10291 - FOOD GRADE NON-FLAMMABLE GREASE GUN-IN-A-CAN, USDA: H-1  
10310 - 10315 OPEN GEAR & CHAIN LUBE, USDA: H-2  
10270 - 10275 FOOD GRADE SILICONE, USDA: H-1  
10280 - 10284 FOOD GRADE NON-FLAMMABLE PENETRATING OIL, USDA: H-2

	CASE PART NO.	PART NO.	NET CON'T	UNITS\N CASE	APPROX. CASE WT.	NO.\N PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>COMPRESSOR OILS</b>						
<b>COMPRESSOR OILS</b>						
ISO 32 - Rotary	51310	51310	5 gal.	1	40 lbs.	42
	51311	51311	55 gal.	1	440 lbs.	4
ISO 46 - Rotary	51312	51312	5 gal.	1	40 lbs.	42
	51313	51313	55 gal.	1	440 lbs.	4
ISO 68 - Rotary - Special Order	51314	51314	5 gal.	1	40 lbs.	42
	51315	51315	55 gal.	1	440 lbs.	4
ISO 100 - Reciprocating	51316	51316	5 gal.	1	40 lbs.	42
	51317	51317	55 gal.	1	400 lbs.	4
ISO 150 - Reciprocating	51318	51318	5 gal.	1	40 lbs.	42
	51319	51319	55 gal.	1	440 lbs.	4
<b>CIRCULATING OILS FOR ROTARY SCREW AIR COMP. &amp; HYDRAULIC APPLICATIONS</b>						
ISO 15	51570	51570	5 gal.	1	40 lbs.	42
	51571	51571	55 gal.	1	433 lbs.	4
ISO 32	51572	51572	5 gal.	1	40 lbs.	42
	51573	51573	55 gal.	1	436 lbs.	4
ISO 46	51574	51574	5 gal.	1	40 lbs.	42
	51575	51575	55 gal.	1	430 lbs.	4
ISO 68	51576	51576	5 gal.	1	40 lbs.	42
	51577	51577	55 gal.	1	435 lbs.	4
ISO 100	51578	51578	5 gal.	1	40 lbs.	42
	51579	51579	55 gal.	1	440 lbs.	4
<b>RECIRCULATING SYSTEMS for ROTARY SCREW and ROTARY VANE COMPRESSORS,</b>						
ISO 22	56350	56350	5 gal.	1	40 lbs.	42
	56351	56351	55 gal.	1	433 lbs.	4
ISO 46	56352	56352	5 gal.	1	40 lbs.	42
	56353	56353	55 gal.	1	436 lbs.	4
ISO 68	56354	56354	5 gal.	1	40 lbs.	42
	56355	56355	55 gal.	1	430 lbs.	4
ISO 100	56356	56356	5 gal.	1	40 lbs.	42
	56357	56357	55 gal.	1	440 lbs.	4
ISO 150	56358	56358	5 gal.	1	40 lbs.	42
	56359	56359	55 gal.	1	440 lbs.	4

**SYNTHETIC DIESTER COMPRESSOR OILS**

	CASE PART NO.	PART NO.	NET CON'T	UNITS\N CASE	APPROX. CASE WT.	NO.\N PALLET
<b>SYNTHETIC DIESTER COMPRESSOR OILS</b>						
ISO 32 - Rotary	51280	51280	5 gal.	1	40 lbs.	42
	51281	51281	55 gal.	1	440 lbs.	4
ISO 46 - Rotary	51282	51282	5 gal.	1	40 lbs.	42
	51283	51283	55 gal.	1	440 lbs.	4
ISO 68 - Rotary	51284	51284	5 gal.	1	40 lbs.	42
	51285	51285	55 gal.	1	440 lbs.	4
ISO100 - Reciprocating	51286	51286	5 gal.	1	40 lbs.	42
	51287	51287	55 gal.	1	440 lbs.	4
ISO 125- Reciprocating	51288	51288	5 gal.	1	40 lbs.	42
	51289	51289	55 gal.	1	440 lbs.	4
ISO 150- Reciprocating	56706	56706	5 gal.	1	40 lbs.	42
	56707	56707	55 gal.	1	440 lbs.	4
<b>SYNTHETIC DIESTER ULTRA COMPRESSOR LUBRICANT &amp; COOLANT</b>						
ISO 68	51480	51480	5 gal.	1	40 lbs.	42
	51481	51481	55 gal.	1	440 lbs.	4

	CASE PART NO.	PART NO.	NET CON'T	UNITS CASE	APPROX. CASE WT.	NO. PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>SYNTHETIC DIESTER COMPRESSOR OILS, cont.</b>						
<b>SYNTHETIC DIESTER PROCESS GAS COMPRESSOR OILS NO METALS</b>						
ISO 100 - Reciprocating	51322	51322	5 gal.	1	40 lbs.	42
	51323	51323	55 gal.	1	440 lbs.	4
ISO 150 - Reciprocating	51324	51324	5 gal.	1	40 lbs.	42
	51325	51325	55 gal.	1	440 lbs.	4

<b>SYNTHETIC PAO COMPRESSOR OILS</b>						
<b>SYNTHETIC PAO COMPRESSOR OILS</b>						
ISO 32 - Rotary	51290	51290	5 gal.	1	40 lbs.	42
	51291	51291	55 gal.	1	440 lbs.	4
ISO 46 - Rotary	51292	51292	5 gal.	1	40 lbs.	42
	51293	51293	55 gal.	1	440 lbs.	4
ISO 68 - Rotary	51294	51294	5 gal.	1	40 lbs.	42
	51295	51295	55 gal.	1	440 lbs.	4
ISO 100 -Reciprocating	51296	51296	5 gal.	1	40 lbs.	42
	51297	51297	55 gal.	1	440 lbs.	4
<b>SEMI-SYNTHETIC (PAO) RECIPROCATING COMPRESSORS, HYDRAULIC, BEARINGS, &amp; CRANKCASES</b>						
ISO 68	56324	56324	5 gal.	1	40 lbs.	42
	56325	56325	55 gal.	1	440 lbs.	4
<b>SYNTHETIC (PAO) COMPRESSORS, TURBINES, OILS</b>						
ISO 32	56310	56310	5 gal.	1	40 lbs.	42
	56311	56311	55 gal.	1	440 lbs.	4
ISO 46	56312	56312	5 gal.	1	40 lbs.	42
	56313	56313	55 gal.	1	440 lbs.	4
<b>SYNTHETIC (PAO) CENTRIFUGAL COMPRESSOR OIL</b>						
ISO 32	52286	52286	5 gal.	1	40 lbs.	42
	52287	52287	55 gal.	1	440 lbs.	4
ISO 46	52288	52288	5 gal.	1	40 lbs.	42
	52289	52289	55 gal.	1	440 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART NO.	NET CONT	UNITS\ CASE	APPROX. CASE WT.	NO\ PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>SYNTHETIC PAO COMPRESSOR OILS, cont.</b>						
<b>SYNTHETIC (PAO) ROTARY SCREW COMP., SPINDLE OILS, GEAR, BEARING &amp; CIRCULATING OIL</b>						
ISO 5	56130	56130	5 gal.	1	40 lbs.	42
	56131	56131	55 gal.	1	440 lbs.	4
ISO 15	56132	56132	5 gal.	1	40 lbs.	42
	56133	56133	55 gal.	1	440 lbs.	4
ISO 32	56136	56136	5 gal.	1	40 lbs.	42
	56137	56137	55 gal.	1	440 lbs.	4
ISO 46	56138	56138	5 gal.	1	40 lbs.	42
	56139	56139	55 gal.	1	440 lbs.	4
ISO 68	56140	56140	5 gal.	1	40 lbs.	42
	56141	56141	55 gal.	1	440 lbs.	4
ISO 100	56142	56142	5 gal.	1	40 lbs.	42
	56143	56143	55 gal.	1	440 lbs.	4
ISO 150	56144	56144	5 gal.	1	40 lbs.	42
	56145	56145	55 gal.	1	440 lbs.	4
ISO 220	56146	56146	5 gal.	1	40 lbs.	42
	56147	56147	55 gal.	1	440 lbs.	4
ISO 320	56148	56148	5 gal.	1	40 lbs.	42
	56149	56149	55 gal.	1	440 lbs.	4
ISO 460	56150	56150	5 gal.	1	40 lbs.	42
	56151	56151	55 gal.	1	440 lbs.	4
ISO 1000	56154	56154	5 gal.	1	40 lbs.	42
	56155	56155	55 gal.	1	440 lbs.	4

**SYNTHETIC POE COMPRESSOR OILS****SYNTHETIC POE  
ROTARY SCREW  
COMPRESSOR OIL**

ISO 46	53052	53052	5 gal.	1	40 lbs.	42
	53053	53053	55 gal.	1	440 lbs.	4

**SYNTHETIC POE  
RECIPROCATING & ROTARY  
SCREW COMPRESSOR OIL &  
CHAIN LUBRICANT**

ISO 68	53054	53054	5 gal.	1	40 lbs.	42
	53055	53055	55 gal.	1	440 lbs.	4

**SYNTHETIC POE  
ROTARY SCREW  
COMPRESSOR OIL**

ISO 46	56640	56640	5 gal.	1	40 lbs.	42
	56641	56641	55 gal.	1	440 lbs.	4

**SYNTHETIC POE  
ROTARY SCREW  
COMPRESSOR OIL**

ISO 68	56644	56644	5 gal.	1	40 lbs.	42
	56645	56644	55 gal.	1	440 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>SYNTHETIC POE COMPRESSOR OILS, cont.</b>						
<b>SYNTHETIC (POE) AIR COMPRESSOR, CYLINDER LUBRICANTS, ROTARY SCREW, PNEUMATIC MOTORS</b>						
ISO 32	56040	56040	5 gal.	1	40 lbs.	42
	56041	56041	55 gal.	1	440 lbs.	4
ISO 46	56042	56042	5 gal.	1	40 lbs.	42
	56043	56043	55 gal.	1	440 lbs.	4
ISO 68	56044	56044	5 gal.	1	40 lbs.	42
	56045	56045	55 gal.	1	440 lbs.	4
ISO 100	56046	56046	5 gal.	1	40 lbs.	42
	56047	56047	55 gal.	1	440 lbs.	4
ISO 150	56048	56048	5 gal.	1	40 lbs.	42
	56049	56049	55 gal.	1	440 lbs.	4

<b>SYNTHETIC POLYGLYCOL COMPRESSOR OILS</b>						
<b>POLYGLYCOL GEAR, BEARING &amp; GAS COMPRESSORS LUBRICANTS</b>						
ISO 2	51390	51390	5 gal.	1	40 lbs.	42
	51391	51391	55 gal.	1	440 lbs.	4
ISO 68	51392	51392	5 gal.	1	40 lbs.	42
	51393	51393	55 gal.	1	440 lbs.	4
ISO 100	51394	51394	5 gal.	1	40 lbs.	42
	51395	51395	55 gal.	1	440 lbs.	4
ISO 150	51396	51396	5 gal.	1	40 lbs.	42
	51397	51397	55 gal.	1	440 lbs.	4
<b>POLYGLYCOL/ESTER COMPRESSOR LUBRICANT</b>						
SAE 10W-20 - Rotary	51470	51470	5 gal.	1	40 lbs.	42
	51471	51471	55 gal.	1	440 lbs.	4
<b>POLYGLYCOL/ESTER COMPRESSOR LUBRICANT</b>						
SAE 5W-20 - Rotary	51472	51472	5 gal.	1	40 lbs.	42
	51473	51473	55 gal.	1	440 lbs.	4
<b>POLYGLYCOL GAS COMPRESSOR LUBRICANT, ROTARY SCREW &amp; VANE, RECIP COMP., VACUUM PUMPS</b>						
ISO 46	56482	56482	5 gal.	1	40 lbs.	42
	56483	56483	55 gal.	1	440 lbs.	4
ISO 68	56484	56484	5 gal.	1	40 lbs.	42
	56485	56485	55 gal.	1	440 lbs.	4
ISO 100	56486	56486	5 gal.	1	40 lbs.	42
	56487	56487	55 gal.	1	440 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART NO.	NET CONT.	UNITS CASE	APPROX. CASE WT.	NO. PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>SYNTHETIC POLYALKYLENE GLYCOL COMPRESSOR OILS</b>						
<b>POLYALKYLENE GLYCOL ROTARY SCREW RECIPROCATING COMPRESSOR LUBRICANTS</b>						
ISO 32	56000	56000	5 gal.	1	40 lbs.	42
	56001	56001	55 gal.	1	440 lbs.	4
ISO 46	56002	56002	5 gal.	1	40 lbs.	42
	56003	56003	55 gal.	1	440 lbs.	4
ISO 68	56004	56004	5 gal.	1	40 lbs.	42
	56005	56005	55 gal.	1	440 lbs.	4
ISO 100	56006	56006	5 gal.	1	40 lbs.	42
	56007	56007	55 gal.	1	440 lbs.	4
ISO 150	56008	56008	5 gal.	1	40 lbs.	42
	56009	56009	55 gal.	1	440 lbs.	4
ISO 220	56010	56010	5 gal.	1	40 lbs.	42
	56011	56011	55 gal.	1	440 lbs.	4
ISO 320	56012	56012	5 gal.	1	40 lbs.	42
	56013	56013	55 gal.	1	440 lbs.	4
ISO 460	56014	56014	5 gal.	1	40 lbs.	42
	56015	56015	55 gal.	1	440 lbs.	4

<b>SYNTHETIC DIBASIC ACID-ESTER COMPRESSOR OILS</b>						
<b>SYNTHETIC - DIBASIC ACID- ESTER RECIPROCATING COMPRESSOR OIL</b>						
ISO 68	54004	54004	5 gal.	1	40 lbs.	42
	54005	54005	55 gal.	1	440 lbs.	4
ISO 100	54006	54006	5 gal.	1	40 lbs.	42
	54007	54007	55 gal.	1	440 lbs.	4
ISO 150	54008	54008	5 gal.	1	40 lbs.	42
	54009	54009	55 gal.	1	440 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK



	CASE PART NO.	PART NO.	NET CON'T	UNITS CASE	APPROX. CASE WT.	NO. PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>SYNTHETIC SILICONE COMPRESSOR OILS</b>						
<b>SYNTHETIC (SILICONE) PROCESS GAS COMP., ROTARY SCREW, &amp; VANE COMP., RECIPROCATING, COMP., VACUUM PUMPS,</b>						
ISO 32	56330	56330	5 gal.	1	40 lbs.	42
	56331	56331	55 gal.	1	440 lbs.	4
ISO 46	56332	56332	5 gal.	1	40 lbs.	42
	56333	56333	55 gal.	1	440 lbs.	4
ISO 68	56334	56334	5 gal.	1	40 lbs.	42
	56335	56335	55 gal.	1	440 lbs.	4
ISO 100	56336	56336	5 gal.	1	40 lbs.	42
	56337	56337	55 gal.	1	440 lbs.	4
ISO 150	56338	56338	5 gal.	1	40 lbs.	42
	56339	56339	5 gal.	1	40 lbs.	42
<b>SYNTHETIC (SILICONE) PROCESS GAS COMP., RECIPROCATING COMPRESSOR, CRANKCASE LUBE</b>						
ISO 100	56556	56556	5 gal.	1	40 lbs.	42
	56557	56557	55 gal.	1	440 lbs.	4
ISO 150	56558	56558	5 gal.	1	40 lbs.	42
	56559	56559	5 gal.	1	40 lbs.	42

<b>SEMI-SYNTHETIC COMPRESSOR OILS</b>						
<b>PARTIAL SYNTHETIC COMPRESSOR OILS</b>						
ISO 32 - Rotary	51490	51490	5 gal.	1	40 lbs.	42
	51491	51491	55 gal.	1	440 lbs.	4
ISO 46 - Rotary	51392	51492	5 gal.	1	40 lbs.	42
	51493	51493	55 gal.	1	440 lbs.	4
ISO 68 - Rotary	51494	51494	5 gal.	1	40 lbs.	42
	51495	51495	55 gal.	1	440 lbs.	4
ISO 100 - Reciprocating	51496	51496	5 gal.	1	40 lbs.	42
	51497	51497	55 gal.	1	440 lbs.	4
ISO 150 - Reciprocating	51498	51498	5 gal.	1	40 lbs.	42
	51499	51499	55 gal.	1	440 lbs.	4
<b>SEMI-SYNTHETIC PAO ROTARY SCREW COMPRESSOR OIL</b>						
ISO 32/46	53050	53050	5 gal.	1	40 lbs.	42
	53051	53051	55 gal.	1	440 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO\ PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>SEMI-SYNTHETIC COMPRESSOR OILS, cont.</b>						
<b>SEMI-SYNTHETIC PAO ROTARY SCREW COMPRESSOR OIL</b>						
ISO 100	51502	51502	5 gal.	1	40 lbs.	42
	51503	51503	55 gal.	1	440 lbs.	4
<b>SEMI-SYNTHETIC (PAO) ROTARY SCREW COMPRESSOR OIL</b>						
ISO 10	51550	51550	5 gal.	1	40 lbs.	42
	51551	51551	55 gal.	1	440 lbs.	4
ISO 15	51552	51552	5 gal.	1	40 lbs.	42
	51553	51553	55 gal.	1	440 lbs.	4
ISO 22	51554	51554	5 gal.	1	40 lbs.	42
	51555	51555	55 gal.	1	440 lbs.	4
ISO 32	51556	51556	5 gal.	1	40 lbs.	42
	51557	51557	55 gal.	1	440 lbs.	4
ISO 46	51558	51558	5 gal.	1	40 lbs.	42
	51559	51559	55 gal.	1	440 lbs.	4
ISO 68	51560	51560	5 gal.	1	40 lbs.	42
	51561	51561	55 gal.	1	440 lbs.	4
ISO 100	51562	51562	5 gal.	1	40 lbs.	42
	51563	51563	55 gal.	1	440 lbs.	4
ISO 150	51564	51564	5 gal.	1	40 lbs.	42
	51565	51565	55 gal.	1	440 lbs.	4
ISO 220	51566	51566	5 gal.	1	40 lbs.	42
	51567	51567	55 gal.	1	440 lbs.	4

<b>FOOD GRADE COMPRESSOR OILS</b>						
<b>FOOD GRADE SYNTHETIC (PAO) ROTARY SCREW COMPRESSOR OIL</b>						
ISO 32	55320	55320	5 gal.	1	40 lbs.	42
	55321	55321	55 gal.	1	440 lbs.	4
ISO 46	55322	55322	5 gal.	1	40 lbs.	42
	55323	55323	55 gal.	1	440 lbs.	4
ISO 68	55324	55324	5 gal.	1	40 lbs.	42
	55325	55325	55 gal.	1	440 lbs.	4
ISO 100	55326	55326	5 gal.	1	40 lbs.	42
	55327	55327	55 gal.	1	440 lbs.	4
ISO 220	55328	55328	5 gal.	1	40 lbs.	42
	55329	55329	55 gal.	1	440 lbs.	4
<b>FOOD GRADE SYNTHETIC (PAO) COMPRESSOR OILS</b>						
ISO 32 - Rotary	51300	51300	5 gal.	1	40 lbs.	42
	51301	51301	55 gal.	1	440 lbs.	4
ISO 68 Rotary	51304	51304	5 gal.	1	40 lbs.	42
	51305	51305	55 gal.	1	440 lbs.	4
ISO 100 - Reciprocating	51306	51306	5 gal.	1	40 lbs.	42
	51307	51307	55 gal.	1	440 lbs.	4
ISO 150 - Reciprocating	51308	51308	5 gal.	1	40 lbs.	42
	51309	51309	55 gal.	1	440 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO\ PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>FOOD GRADE COMPRESSOR OILS, cont.</b>						
<b>FOOD GRADE COMPRESSOR OILS</b>						
ISO 32	53100	53100	5 gal.	1	40 lbs.	42
	53101	53101	55 gal.	1	440 lbs.	4
ISO 46	53102	53102	5 gal.	1	40 lbs.	42
	53103	53103	55 gal.	1	440 lbs.	4
ISO 68	53104	53104	5 gal.	1	40 lbs.	42
	53105	53105	55 gal.	1	440 lbs.	4
ISO 100	53106	53106	5 gal.	1	40 lbs.	42
	53017	53017	55 gal.	1	440 lbs.	4
ISO 150	53108	53108	5 gal.	1	40 lbs.	42
	53109	53109	55 gal.	1	440 lbs.	4
ISO 220	53110	53110	5 gal.	1	40 lbs.	42
	53111	53111	55 gal.	1	440 lbs.	4
<b>SYNTHETIC (PAO) ROTARY SCREW, RECIPROCATING, ROTARY VANE COMP. OIL for CO2 Applications FOOD GRADE</b>						
ISO 68	54040	54040	5 gal.	1	40 lbs.	42
	54041	54041	55 gal.	1	440 lbs.	4
ISO 100	54042	54042	5 gal.	1	40 lbs.	4
	54043	54043	55 gal.	1	440 lbs.	42
<b>FOOD GRADE SYNTHETIC (PAO) RECIPROCATING AIR COMPRESSOR &amp; HYDRAULIC OIL</b>						
ISO 5	55300	55300	5 gal.	1	40 lbs.	42
	55301	55301	55 gal.	1	440 lbs.	4
ISO 22	55302	55302	5 gal.	1	40 lbs.	42
	55303	55303	55 gal.	1	440 lbs.	4
ISO 46	55304	55304	5 gal.	1	40 lbs.	42
	55305	55305	55 gal.	1	440 lbs.	4
ISO 68	55306	55306	5 gal.	1	40 lbs.	42
	55307	55307	55 gal.	1	440 lbs.	4
ISO 100	55308	55308	5 gal.	1	40 lbs.	42
	55309	55309	55 gal.	1	440 lbs.	4
ISO 150	55310	55310	5 gal.	1	40 lbs.	42
	55311	55311	55 gal.	1	440 lbs.	4
ISO 320	55312	55112	5 gal.	1	40 lbs.	42
	55313	55313	55 gal.	1	440 lbs.	4
ISO 460	55314	55314	5 gal.	1	40 lbs.	42
	55315	55315	55 gal.	1	440 lbs.	4
<b>SYNTHETIC FOOD GRADE AIR COMPRESSOR LUBRICANTS</b>						
ISO 5	56210	56210	5 gal.	1	40 lbs.	42
	56211	56211	55 gal.	1	440 lbs.	4
ISO 15	56212	56212	5 gal.	1	40 lbs.	42
	56213	56213	55 gal.	1	440 lbs.	4
ISO 22	56214	56214	5 gal.	1	40 lbs.	42
	56215	56215	55 gal.	1	440 lbs.	4
ISO 32	56216	56216	5 gal.	1	40 lbs.	42
	56217	56217	55 gal.	1	440 lbs.	4
ISO 46	56218	56218	5 gal.	1	40 lbs.	42
	56219	56219	5 gal.	1	40 lbs.	42
ISO 68	56220	56220	5 gal.	1	40 lbs.	42
	56221	56221	55 gal.	1	440 lbs.	4
ISO 100	56222	56222	5 gal.	1	40 lbs.	42
	56223	56223	5 gal.	1	40 lbs.	42
ISO 150	56224	56224	5 gal.	1	40 lbs.	42
	56225	56225	5 gal.	1	40 lbs.	42
ISO 220	56226	56226	5 gal.	1	40 lbs.	42
	56227	56227	5 gal.	1	40 lbs.	42

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO\ PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>FOOD GRADE COMPRESSOR OILS, cont.</b>						
<b>FOOD GRADE SYNTHETIC (SILICONE) PROCESS GAS COMP., ROTARY SCREW, &amp; VANE COMP., RECIPROCATING, COMP., VACUUM PUMPS,</b>						
ISO 46	56522	56522	5 gal.	1	40 lbs.	42
	56523	56523	55 gal.	1	440 lbs.	4
ISO 68	56524	56524	5 gal.	1	40 lbs.	42
	56525	56525	55 gal.	1	440 lbs.	4
ISO 100	56526	56526	5 gal.	1	40 lbs.	42
	56527	56527	55 gal.	1	440 lbs.	4
ISO 150	56528	56528	5 gal.	1	40 lbs.	42
	56529	56529	5 gal.	1	40 lbs.	42
<b>FOOD GRADE SYNTHETIC (PAO) COMPRESSOR OILS (KOSHER)</b>						
ISO 32 - Rotary	56630	56630	5 gal.	1	40 lbs.	42
	56631	56631	55 gal.	1	440 lbs.	4
ISO 46 - Rotary	56632	56632	5 gal.	1	40 lbs.	42
	56633	56633	55 gal.	1	440 lbs.	4
ISO 68 Rotary	56634	56634	5 gal.	1	40 lbs.	42
	56635	56635	55 gal.	1	440 lbs.	4
ISO 100 - Reciprocating	56636	56636	5 gal.	1	40 lbs.	42
	56637	56637	55 gal.	1	440 lbs.	4

**MISC. COMPRESSOR PRODUCTS**

SYN. COMPRESSOR	51440	51440	5 gal.	1	41 lbs.	42
CLEANING FLUID	51441	51441	55 gal.	1	445 lbs.	4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

page 29	CASE PART NO.	PART NO.	NET CONT	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
<b>AUTOMOTIVE A/C LUBRICANTS</b>						
<b>SYN. POLYALKLENE GLYCOL - A/C LUBE</b>						
ISO 46	53061	53060	8.5 oz.	12	8 lbs.	75
	53063	53062	32 oz.	12	29 lbs.	60
<b>SYN. POLYALKLENE GLYCOL - A/C LUBE*</b>						
ISO 100	53065	53064	8.5 oz.	12	8 lbs.	75
*most popular for 134a	53067	53066	32 oz.	12	30 lbs.	60
<b>SYN. POLYALKLENE GLYCOL - A/C LUBE</b>						
ISO 150	53069	53068	8.5 oz.	12	8 lbs.	75
	53071	53070	32 oz.	12	30 lbs.	60
<b>MINERAL OIL AIR CONDITIONING LUBE*</b>						
ISO 100	53073	53072	32 oz.	12	26 lbs.	60
	53075	53074	1 gal.	6	34 lbs.	36
	53076	53076	5 gal.	1	40 lbs.	42
**most popular for R-12	53077	53077	55 gal.	1	440 lbs.	4
<b>SYNTHETIC POE A/C LUBE*</b>						
ISO 120	53031	53030	8.5 oz.	12	8 lbs.	75
	53033	53032	32 oz.	12	30 lbs.	60
*in 134a	53035	53034	1 gal.	4	34 lbs.	36

Contact your Distributor for more information on other types of compressor oils that are available.

**BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK**

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO. PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>REFRIGERATION OILS</b>						
REFRIGERATION OIL SUPPLEMENT	52129 52131 52132	52128 52130 52132	1 gal. 2.5 gal. 54 gal.	4 2 1	35 lbs. 44 lbs. 432 lbs.	\$36.00 36 4
<b>REFRIGERATION OIL</b>						
ISO 32 - Rotary	52135 52136	52135 52136	5 gal. 55 gal.	1 1	42 lbs. 454 lbs.	42 4
ISO 68 - Rotary	52137 52138	52137 52138	5 gal. 55 gal.	1 1	42 lbs. 457 lbs.	42 4
<b>SEMI-SYNTHETIC REFRIGERATION OIL</b>						
ISO 32	51580 51581	51580 51581	5 gal. 55 gal.	1 1	42 lbs. 454 lbs.	42 4
ISO 46	51582 51583	51582 51583	5 gal. 55 gal.	1 1	42 lbs. 457 lbs.	42 4
ISO 68	51584 51585	51584 51585	5 gal. 55 gal.	1 1	42 lbs. 457 lbs.	42 4
<b>SYNTHETIC (PAO) REFRIGERATION OILS</b>						
<b>SYNTHETIC (PAO) REFRIGERATION OILS</b>						
ISO 32 - Rotary	51330 51331	51330 51331	5 gal. 55 gal.	1 1	39 lbs. 420 lbs.	42 4
ISO 68 - Rotary	51334 51335	51334 51335	5 gal. 55 gal.	1 1	40 lbs. 430 lbs.	42 4
ISO 100 - Reciprocating	51336 51337	51336 51337	5 gal. 55 gal.	1 1	40 lbs. 430 lbs.	42 4
<b>SYNTHETIC (PAO) FLOODED SCREW COMPRESSOR OILS for REFRIGERATION SYSTEMS &amp; AMMONIA SYSTEMS</b>						
ISO 68	54046 54047	54046 46047	5 gal. 55 gal.	1 1	39 lbs. 420 lbs.	42 4
ISO 100	54048 54049	54048 54049	5 gal. 55 gal.	1 1	40 lbs. 423 lbs.	42 4
<b>SYNTHETIC (PAO/DIALKYLEBENZENE REFRIGERATION OILS</b>						
<b>SYNTHETIC (HYDROCARBON/ALKYLATE) REFRIGERATION OILS</b>						
ISO 32 - Rotary	56620 56621	56620 56621	5 gal. 55 gal.	1 1	39 lbs. 420 lbs.	42 4
ISO 46 - Rotary	56622 56623	56622 56623	5 gal. 55 gal.	1 1	40 lbs. 423 lbs.	42 4
ISO 68 - Rotary	56624 56625	56624 56625	5 gal. 55 gal.	1 1	40 lbs. 430 lbs.	42 4
ISO 100 - Reciprocating	56626 56627	56626 56627	5 gal. 55 gal.	1 1	40 lbs. 430 lbs.	42 4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
--	---------------------	-------------	--------------	----------------	------------------------	----------------

## INDUSTRIAL PRODUCTS

### SYNTHETIC (POE) REFRIGERATION OILS

#### SYNTHETIC (POE) REFRIGERATION COMPRESSOR LUBRICANTS

ISO 32	53023	53022	1 gal.	6	45 lbs.	36
	53024	53024	5 gal.	1	38 lbs.	42
	53025	53025	55 gal.	1	440 lbs.	4
ISO 46	53026	53026	5 gal.	1	38 lbs.	42
	53027	53027	55 gal.	1	440 lbs.	4
ISO 68	53028	53028	5 gal.	1	38 lbs.	42
	53029	53029	55 gal.	1	440 lbs.	4
ISO 120 & Auto A/C Lube	53031	53030	8.5 oz.	12	10 lbs.	80
	53033	53032	32 oz.	12	24 lbs.	75
	53035	53034	1 gal.	6	35 lbs.	36
ISO 170	53036	53036	5 gal.	1	38 lbs.	42
	53037	53037	55 gal.	1	440 lbs.	4

#### SYNTHETIC (POE) REFRIGERATION COMPRESSOR LUBRICANTS

ISO 100	55174	55174	5 gal.	1	38 lbs.	42
	55175	55175	55 gal.	1	440 lbs.	4
ISO 150	55176	55176	5 gal.	1	38 lbs.	42
	55177	55177	55 gal.	1	440 lbs.	4
ISO 220	55178	55178	5 gal.	1	38 lbs.	42
	55179	55179	55 gal.	1	440 lbs.	4
ISO 320	55180	55180	5 gal.	1	38 lbs.	42
	55181	55181	55 gal.	1	440 lbs.	4

### SYNTHETIC (ALKYLEBENZENE) REFRIGERATION OILS

#### SYN. ALKYLEBENZENI REFRIGERATION OILS

ISO 32	53040	53040	5 gal.	1	38 lbs.	42
	53041	53041	55 gal.	1	440 lbs.	4
ISO 68	53042	53042	5 gal.	1	38 lbs.	42
	53043	53043	55 gal.	1	440 lbs.	4
ISO 100	53044	53044	5 gal.	1	38 lbs.	42
	53045	53045	55 gal.	1	440 lbs.	4

### SEMI-SYNTHETIC (SILICONE) REFRIGERATION OILS

#### SEMI-SYNTHETIC (SILICONE) PROCESS & GAS ROTARY SCREW COMPRESSOR LUBRICANTS

ISO 32	56560	56560	5 gal.	1	38 lbs.	42
	56561	56561	55 gal.	1	440 lbs.	4
ISO 68	56564	56564	5 gal.	1	38 lbs.	42
	56565	56565	55 gal.	1	440 lbs.	4
ISO 100	56566	56566	5 gal.	1	38 lbs.	42
	56567	56567	55 gal.	1	440 lbs.	4
ISO 150	56568	56568	5 gal.	1	38 lbs.	42
	56569	56569	55 gal.	1	440 lbs.	4
ISO 220	56570	56570	5 gal.	1	38 lbs.	42
	56571	56571	55 gal.	1	440 lbs.	4
ISO 460	56574	56574	5 gal.	1	38 lbs.	42
	56575	56575	55 gal.	1	440 lbs.	4

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO\ PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>SEMI-SYNTHETIC REFRIGERATION OILS</b>						
<b>SEMI-SYNTHETIC (ALKYLATE) REFRIGERATION OILS</b>						
ISO 32	55470	55470	5 gal.	1	40 lbs.	42
	55471	55471	55 gal.	1	434 lbs.	4
ISO 68	55472	55472	5 gal.	1	40 lbs.	42
	55473	55473	55 gal.	1	434 lbs.	4
<b>SEMI-SYNTHETIC AMMONIA REFRIGERATION OILS</b>						
ISO 68	53046	53046	5 gal.	1	41 lbs.	42
	53047	53047	55 gal.	1	448 lbs.	4

<b>FOOD GRADE REFRIGERATION OILS</b>						
<b>FOOD GRADE SYNTHETIC (PAO) REFRIGERATION OIL (KOSHER)</b>						
ISO 32	56610	56610	5 gal.	1	38 lbs.	42
	56611	56611	55 gal.	1	440 lbs.	4
ISO 46	56612	56612	5 gal.	1	38 lbs.	42
	56613	56613	55 gal.	1	440 lbs.	4
ISO 68	56614	56614	5 gal.	1	38 lbs.	42
	56615	56615	55 gal.	1	440 lbs.	4

Contact your Distributor for more information on other types of refrigeration oils that are available.

**BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK**



	CASE PART NO.	PART NO.	NET CON'T	UNITS\A CASE	APPROX. CASE WT.	NO.\A PALLET
<b>INDUSTRIAL PRODUCTS</b>						
<b>NATURAL GAS COMPRESSOR OILS</b>						
<b>SYNTHETIC (PAO) NATURAL GAS COMPRESSOR OILS</b>						
ISO 68 - Rotary	51346	51346	5 gal.	1	40 lbs.	42
	51347	51347	55 gal.	1	440 lbs.	4
ISO 100 - Reciprocating	51348	51348	5 gal.	1	40 lbs.	42
	51349	51349	55 gal.	1	440 lbs.	4
ISO 150 - Reciprocating	51350	51350	5 gal.	1	40 lbs.	42
	51351	51351	55 gal.	1	440 lbs.	4
ISO 220 - Reciprocating	51352	51352	5 gal.	1	40 lbs.	42
	51353	51353	55 gal.	1	440 lbs.	4
<b>POLYGLYCOL NATURAL GAS COMPRESSOR OIL</b>						
ISO 220	51355	51355	5 gal.	1	40 lbs.	42
	51356	51356	55 gal.	1	440 lbs.	4
<b>PARTIAL SYNTHETIC NATURAL GAS COMPRESSOR OIL</b>						
ISO 68	51360	51360	5 gal.	1	40 lbs.	42
	51361	51361	55 gal.	1	440 lbs.	4
ISO 100	51362	51362	5 gal.	1	40 lbs.	42
	51363	51353	55 gal.	1	440 lbs.	4
ISO 150	51364	51364	5 gal.	1	40 lbs.	42
	51365	51365	55 gal.	1	440 lbs.	4
<b>NATURAL GAS COMPRESSOR OILS</b>						
ISO 100	51370	51370	5 gal.	1	40 lbs.	42
	51371	51371	55 gal.	1	440 lbs.	4
ISO 150	51372	51372	5 gal.	1	40 lbs.	42
	51373	51373	55 gal.	1	440 lbs.	4
<b>POLYALKYLENE GLYCOL NATURAL GAS COMPRESSOR OILS</b>						
ISO 68	51380	51380	5 gal.	1	38 lbs.	42
	51381	51381	55 gal.	1	440 lbs.	4
ISO 100	51382	51382	5 gal.	1	38 lbs.	42
	51383	51383	55 gal.	1	440 lbs.	4
ISO 150	51384	51384	5 gal.	1	38 lbs.	42
	51385	51385	55 gal.	1	440 lbs.	4
<b>SYNTHETIC (POLYGLYCOL) GAS COMPRESSOR OILS</b>						
ISO 68	56670	56670	5 gal.	1	40 lbs.	42
	56671	56671	55 gal.	1	440 lbs.	4
ISO 100	56672	56672	5 gal.	1	40 lbs.	42
	56673	56673	55 gal.	1	440 lbs.	4
ISO 150	56674	56674	5 gal.	1	40 lbs.	42
	56675	56675	55 gal.	1	440 lbs.	4
ISO 220	56676	56676	5 gal.	1	40 lbs.	42
	56677	56677	55 gal.	1	440 lbs.	4

Contact your Distributor for more information on other types of gas compressor oils that are available.

**BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK**

	CASE PART NO.	PART NO.	NET CON'T	UNITS\A CASE	APPROX. CASE WT.	NO.\A PALLET
<b>INDUSTRIAL AEROSOL PRODUCTS</b>						
PETRON PLUS IND. SUPER LUBE						
Pocket Lubricators	57121	57121	1/4oz	100	2 lbs.	n/a
PETRON PLUS	51212X	12125	12 oz.	12	13 lbs.	80
INDUSTRIAL SUPER LUBE	51219X	12129	12 oz.	12	13 lbs.	80
AEROSOL & Non-Aerosol	51284X	12845	1 gal.	4	35 lbs.	36
PENETRATE AEROSOL	61212P	12126	12 oz.	12	13 lbs.	80
	61284P	12846	1 gal.	4	35 lbs.	36
FOOD GRADE OIL, USDA: H-1	10263	10262	12 oz.	12	13 lbs.	80
WHITE LITHIUM GREASE						
AEROSOL, USDA: H-1	10265	10264	12 oz.	12	13 lbs.	80
NON-AEROSOL WELDING						
ANTI-SPATTER	10041	10040	15 oz.	12	13 lbs.	80
FOOD GRADE NON-FLAMMABLE	10287	10286	18 oz.	12	17 lbs.	80
SAFETY SOLVENT, USDA: K-	10288	10288	5 gal.	1	40 lbs.	42
FOOD GRADE NON-FLAMMABLE						
GREASE GUN-IN-A-CAN						
USDA: H-1	10291	10290	18 oz.	12	17 lbs.	80
FOOD GRADE DEGREASER &	10295	10294	17 oz.	12	17 lbs.	80
DEODORIZER	10298	10298	5 gal.	1	45 lbs.	42
USDA: C-1						
OPEN GEAR &	10311	10310	15 oz.	12	14 lbs.	80
CABLE LUBE	10313	10312	1 gal.	4	36 lbs.	36
USDA: H-2	10314	10314	5 gal.	1	39 lbs.	42
	10315	10315	55 gal.	1	480 lbs.	4
FOOD GRADE SILICONE						
USDA: H-1	10271	10270	18 oz.	12	18 lbs.	80
	10273	10272	1 gal.	4	36 lbs.	36
	10275	10275	55 gal.	1	440 lbs.	4
BELT DRESSING						
USDA: P-1	10277	10276	18 oz.	12	18 lbs.	80
	10278	10278	1 gal.	4	36 lbs.	36
	10279	10279	55 gal.	1	440 lbs.	4
FOOD GRADE NON-FLAMMABLE						
PENETRATING OIL	10281	10280	15 oz.	12	14 lbs.	80
USDA: H-2	10283	10282	1 gal.	4	36 lbs.	36
	10284	10284	55 gal.	1	440 lbs.	4
COOLING COIL						
CLEANER, USDA: P-1	10337	10336	18 oz.	12	18 lbs.	80
CONCESSION & FOOD						
EQUIPMENT CLEANER,						
USDA: A-1	10339	10338	18 oz.	6	9 lbs.	80

## USDA CLASSIFICATIONS

A-1 GENERAL CLEANING - ALL SURFACES.

C-1 COMPOUNDS FOR CLEANING ALL SURFACES IN INEDIBLE PROCESSING AREAS.

H-1 LUBRICANTS WITH INCIDENTAL FOOD CONTACT.

H-2 LUBRICANTS WITH NO FOOD CONTACT.

K-2 SOLVENTS FOR CLEANING ELECTRONIC INSTRUMENTS.

P-1 COMPOUNDS REQUIRING LETTER FOR AUTHORIZED USE.

page 35	CASE				APPROX.	
	PART	PART	NET	UNITS\	CASE	NO\
	NO.	NO.	CON'T	CASE	WT.	PALLET
<b>GREASE PRODUCTS</b>						
HI-TEMP. E. P. GREASE	L00880	00880	14 oz.	10/50	54 lbs.	36
LITHIUM COMPLEX	T00805	T00804	12 oz.	45 tubs	47 lbs.	36
NLGI # 2	L00881	00881	35 lbs.	1	39 lbs.	42
USDA: H2	52163	52163	120 lbs.	1	140 lbs.	8
	52164	52164	400 lbs.	1	440 lbs.	4
HI-TEMP. E. P.	M00511	M00510	14 oz.	10/50	54 lbs.	36
MARINE GREASE	T00516	T00515	12 oz.	45 tubs	47 lbs.	36
NLGI # 2	M00512	M00512	35 lbs.	1	39 lbs.	42
	M00513	M00513	120 lbs.	1	140 lbs.	8
	M00514	M00514	400 lbs.	1	440 lbs.	4
HI-TEMP. E. P. FOOD	52171	52170	13 oz.	10/50	48 lbs.	36
GRADE GREASE	52172	52172	35 lbs.	1	39 lbs.	42
NLGI # 2	52173	52173	110 lbs.	1	130 lbs.	8
USDA: H-1	52174	52174	370 lbs.	1	410 lbs.	
HI-TEMP. MULTI-PURPOS	P00950	00950	16 oz.	10/50	59 lbs.	36
POLYUREA E. P. GREASE	T00978	T00979	14 oz.	45 tubs	47 lbs.	36
NLGI # 2	00975	00975	35 lbs.	1	39 lbs.	42
	52178	52178	120 lbs.	1	140 lbs.	8
	52179	52179	400 lbs.	1	440 lbs.	4
SYNTHETIC LOW-TEMP						
MULTI-PURPOSE GREASE	52180	52180	400 lbs.	1	440 lbs.	4
WITH MOLY						
NLGI # 2						
POLYUREA CONSTANT						
VELOCITY (CV) JOINT GREASE	52251	52250	4 oz.	192	50 lbs.	36
NLGI # 1½						
POLYUREA HI-TEMP	52261	52260	16 oz.	10/50	54 lbs.	36
HEAVY-DUTY GREASE	52262	52262	35 lbs.	1	39 lbs.	42
NLGI # 2	52263	52263	120 lbs.	1	140 lbs.	8
	52264	52264	400 lbs.	1	440 lbs.	4
LOW ENVIRONMENTAL IMPACT						
LITHIUM COMPLEX GREASE	52298	52298	35 lbs.	1	39 lbs.	42
NLGI # 2	52299	52299	400 lbs.	4	440 lbs.	4
LOW-TEMP MULTI-PURPOSE						
SYNTHETIC GREASE W/MOL	52270	52270	35 lbs.	1	39 lbs.	42
NLGI # 2	52271	52271	400 lbs.	1	440 lbs.	4
SEMI-SYN. HI-TEMP., M. P.						
GREASE - LITHIUM COMPLE	52290	52290	35 lbs.	1	39 lbs.	42
NLGI # 2	52291	52291	400 lbs.	1	440 lbs.	4
WIDE-TEMP RANGE SYNTHE						
GREASE, FLUORO SILICONE	52295	52294	16 oz.	1	2 lbs.	36
NLGI # 1	52296	52296	35 lbs.	1	39 lbs.	42
LITHIUM 12-HYDROXY						
STEARATE GREASE						
NLGI # 00	52240	52240	35 lbs.	1	39 lbs.	42
	52241	52241	400 lbs.	4	440 lbs.	4
NLGI # 1	52244	52244	35 lbs.	1	39 lbs.	42
	52245	52245	400 lbs.	4	440 lbs.	4
NLGI # 2	52246	52246	35 lbs.	1	39 lbs.	42
	52247	52247	400 lbs.	4	440 lbs.	4
WHITE LITHIUM GREASE						
AEROSOL	10265	10264	14 oz.	12	14 lbs.	80

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
<b>INDUSTRIAL ENVIRO-SOLVENTS</b>						
ENVIRO-SOLVENT -142	10080	10080	5 gal.	1	36 lbs.	4
	55192	55192	54 gal.	1	386 lbs.	42
ENVIRO-SOLVENT -107	10082	10082	5 gal.	1	37 lbs.	4
	55194	55194	54 gal.	1	391 lbs.	42
ENVIRO-SOLVENT -165	10077	10077	5 gal.	1	36 lbs.	4
	55198	55198	54 gal.	1	386 lbs.	42
ENVIRO-CORROSION PREVENTIVE	10095	10095	5 gal.	1	47 lbs.	4
	55196	55196	54 gal.	1	507 lbs.	42
ENVIRO-CLEANER	10097	10097	5 gal.	1	51 lbs.	4
	10098	10098	54 gal.	1	548 lbs.	42
ENVIRO-INDUSTRIAL DEGREASER	10006	10006	5 gal.	1	51 lbs.	4
	52229	52229	54 gal.	1	548 lbs.	42

<b>WEAPON OIL</b>						
PETRON PLUS WEAPON OIL						
1/4 oz. POCKET LUBRICATOR	30009	30008	1/4 oz	100		n.a
2 OZ. BELLOW	30011	30010	2 oz.	24		n.a.
4 OZ. CYLINDER	30013	30012	4 oz.	24		n.a.
8 OZ. CYLINDER	30015	30014	8 oz.	24		n.a
12oz. AEROSOL	30017	30016	12oz.	12		80
	30003	30002	1 gal	4		36
	30004	30004	5 gal.	1		42
	30005	30005	54 gal.	1		4

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
<b>METAL-WORKING PRODUCTS</b>						
<b>SUPPLEMENTS</b>						
METALPRO ALPHA	52200	52199	1 gal.	4	43 lbs.	36
	52202	52201	5 gal.	1	52 lbs.	42
	52203	52203	500 lbs	1	544 lbs.	4
METALPRO BETA	52205	52204	1 gal.	4	36 lbs.	36
	52207	52206	5 gal.	1	44 lbs.	42
	55725	55725	55 gal.	1	460 lbs.	4
METALFORM 2000-HD	57140	57140	5 gal	1	42 lbs.	42
	57141	57141	55 gal.	1	480 lbs	4
METALFORM 2000	52191	52190	1 gal.	4	35 lbs.	36
	52193	52192	5 gal	1	42 lbs.	42
CONCENTRATE	55791	55790	1 gal.	4	39 lbs.	36
MIST LUBE	55792	55792	5 gal.	1	47 lbs.	42
	55793	55793	55 gal.	1	492 lbs.	4
CONCENTRATE	55585	55585	5 gal.	1	45 lbs.	42
SYNTHETIC MIST LUBE	55586	55586	55 gal.	1	475 lbs.	4

**STRAIGHT OILS**

<b>LIGHT-DUTY STRAIGHT</b>						
OIL CUTTING FLUIDS	55760	55760	5 gal.	1	42 lbs.	42
chlorine & sulfur free	52211	52211	55 gal.	1	441 lbs.	4
<b>MED.-DUTY STRAIGHT</b>						
OIL CUTTING FLUID	55762	55762	5 gal.	1	42 lbs.	42
chlorine free w/inactive sulfur	52212	52212	55 gal.	1	442 lbs.	4
<b>HEAVY-DUTY STRAIGHT</b>						
OIL CUTTING FLUID	55782	55782	5 gal.	1	43 lbs.	42
chlorine free w/active sulfur	55783	55783	55 gal.	1	442 lbs.	4
HD-GP STRAIGHT OIL	55782	55782	5	1	43 lbs.	42
w/CHLORINE	55783	55783	55	1	442 lbs.	4

**SOLUBLE OILS**

<b>GENERAL-PURPOSE</b>						
SOLUBLE OIL	55764	55764	5 gal.	1	43 lbs.	42
MACHINING FLUID	52213	52213	55 gal.	1	448 lbs.	4
<b>HEAVY-DUTY GENERAL-</b>						
PURPOSE SOLUBLE OIL	55766	55766	5 gal.	1	43 lbs.	42
MACHINING FLUID	55420	55420	55 gal.	1	448 lbs.	4
<b>SEMI-SYN. GENERAL</b>						
PURPOSE SOLUBLE	55774	55774	5 gal.	1	44 lbs.	42
OIL light-med. duty	52210	52210	55 gal.	1	464 lbs.	4
<b>SEMI-SYN. GENERAL-</b>						
PURPOSE SOLUBLE	55784	55784	5 gal.	1	44 lbs.	42
OIL med.-heavy-duty	55785	55785	55 gal.	1	465 lbs.	4

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
<b>METAL-WORKING PRODUCTS, cont.</b>						
<b>SYNTHETIC</b>						
SYNTHETIC GENERAL PURPOSE MACHINING FLUID	55768 52208	55768 52208	5 gal. 55 gal.	1 1	45 lbs. 494 lbs.	42 4
<b>HEAVY-DUTY SYNTHETIC</b>						
GENERAL-PURPOSE MACHINING FLUID	55786 55787	55786 55787	5 gal. 55 gal.	1 1	46 lbs. 482 lbs.	42 4
<b>SYNTHETIC MICROEMULSION</b>						
MACHINING FLUID for aluminum	55770 52214	55770 52214	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
SYNTHETIC TAPPING FLUID FOR ALUMINUM	55740 55741	55740 55741	5 gal. 55 gal.	1 1	42 lbs. 466 lbs.	42 4
SYNTHETIC GENERAL- PURPOSE GRINDING FLUID	55778 52209	55778 52209	5 gal. 55 gal.	1 1	45 lbs. 478 lbs.	42 4
<b>HEAVY-DUTY SYNTHETIC</b>						
GENERAL-PURPOSE GRINDING FLUID	55780 55781	55780 55781	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
<b>SEMI-SYNTHETIC</b>						
<b>SEMI-SYN. GENERAL</b>						
PURPOSE SOLUBLE OIL light-medium duty	55774 52210	55774 52210	5 gal. 55 gal.	1 1	44 lbs. 464 lbs.	42 4
<b>SEMI-SYN. GENERAL-</b>						
PURPOSE SOLUBLE OIL medium-heavy-duty	55784 55785	55784 55785	5 gal. 55 gal.	1 1	44 lbs. 465 lbs.	42 4
<b>METALWORKING FLUIDS FOR ALUMINUM</b>						
<b>SYNTHETIC MICROEMULSION</b>						
MACHINING FLUID for aluminum	55770 52214	55770 52214	5 gal. 55 gal.	1 1	44 lbs. 484 lbs.	42 4
<b>SEMI-SYN. GENERAL</b>						
PURPOSE SOLUBLE OIL light-medium duty	55774 52210	55774 52210	5 gal. 55 gal.	1 1	42 lbs. 440 lbs.	42 4
<b>TAPPING &amp; GRINDING FLUIDS</b>						
<b>TAPPING FLUID FOR ALUMINUM</b>						
SYNTHETIC TAPPING FLUID FOR ALUMINUM	55740 55741	55740 55741	5 gal. 55 gal.	1 1	42 lbs. 445 lbs.	42 4
<b>TAPPING FLUID</b>						
SYNTHETIC HEAVY-DUTY TAPPING FLUID	55776 55777	55776 55777	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
TAPPING FLUID chlorine free w/inactive sulfu	55590 55591	55590 55591	5 gal. 55 gal.	1 1	42 lbs. 442 lbs.	42 4

	CASE PART NO.	PART NO.	NET CON'T	UNITS CASE	APPROX. CASE WT.	NO. PALLET
<b>TAPPING &amp; GRINDING FLUIDS, cont.</b>						
<b>GRINDING FLUIDS</b>						
SYNTHETIC GENERAL- PURPOSE GRINDING FLUID	55778	55778	5 gal.	1	45 lbs.	42
	52209	52209	55 gal.	1	478 lbs.	4
HEAVY-DUTY SYNTHETIC GENERAL-PURPOSE GRINDING FLUID	55780	55780	5 gal.	1	46 lbs.	42
	55781	55781	55 gal.	1	481 lbs.	4

<b>FORMING, DRAWING &amp; STAMPING</b>						
<b>FORMING, DRAWING &amp; STAMPING</b>						
METALFORM 2000	52191	52190	1 gal.	4	42 lbs.	36
	52193	52192	5 gal.	1	42 lbs.	42
METALFORM 2000-P HEAVY-DUTY	52195	52194	1 gal.	4	35 lbs.	36
	52197	52196	5 gal.	1	42 lbs.	42
	52198	52198	55 gal.	1	447 lbs.	4
METALFORM 3000-P LIGHT-DUTY	55610	55610	5 gal.	1	41 lbs.	42
	55611	55611	55 gal.	1	435 lbs.	4
METALFORM 4000-P MEDIUM-DUTY	55655	55655	5 gal.	1	42 lbs.	42
	55656	55656	55 gal.	1	441 lbs.	4
METALFORM 6000	52216	52216	55 gal.	1	441 lbs.	4
METALFORM 7000	52233	52233	55 gal.	1	441 lbs.	4
SYNTHETIC DRAWING & STAMPING COMPOUND	55661	55661	5 gal.	1	45 lbs.	42
	55660	55660	55 gal.	1	475 lbs.	4
HEAVY-DUTY SYNTHETIC DRAWING & STAMPING COMPOUND	55666	55666	5 gal.	1	45 lbs.	42
	55665	55665	55 gal.	1	477 lbs.	4

<b>MIST LUBRICANTS</b>						
<b>MIST LUBRICANTS</b>						
MIST LUBE LIGHT-DUTY	55570	55570	5 gal.	1	42 lbs.	42
	55571	55571	55 gal.	1	442 lbs.	4
MIST LUBE HEAVY-DUTY	55575	55575	5 gal.	1	44 lbs.	42
	55576	55576	55 gal.	1	460 lbs.	4
SYNTHETIC MIST LUBE	55580	55580	5 gal.	1	41 lbs.	42
	55581	55581	55 gal.	1	434 lbs.	4
CONCENTRATE MIST LUBE	55792	55792	5 gal.	1	47 lbs.	42
	55793	55793	55 gal.	1	492 lbs.	4
CONCENTRATE SYNTHETIC MIST LUBE	55585	55585	5 gal.	1	45 lbs.	42
	55586	55586	55 gal.	1	475 lbs.	4

<b>SAWING LUBRICANTS</b>						
<b>SAWING LUBRICANTS</b>						
SYNTHETIC SAWING FLUID	55605	55605	5 gal.	1	46 lbs.	42
	55606	55606	55 gal.	1	481 lbs.	4
SAWING FLUID chlorine free w/inactive sulfu	55600	55600	5 gal.	1	42 lbs.	42
	55601	55601	55 gal.	1	442 lbs.	4

	CASE PART NO.	PART NO.	NET CON'T	UNITS CASE	APPROX. CASE WT.	NO. PALLET
<b>ENVIRO-SYNTHETIC METALWORKING FLUIDS</b>						
<b>ENVIRO-SYNTHETIC METALWORKING FLUIDS</b>						
MACHINING LUBRICANT FOR ALUMINUM	55635 55636	55635 55636	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
TAPPING LUBRICANT FOR ALUMINUM	55640 55641	55640 55641	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
TAPPING LUBRICANT	55630 55631	55630 55631	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
GENERAL PURPOSE LUBRICANT	55795 55796	55795 55796	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
HEAVY-DUTY GENERAL- PURPOSE LUBRICANT	55637 55638	55637 55638	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
EXTRA H-D GENERAL PURPOSE LUBRICANT	55632 55633	55632 55633	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
MIST LUBRICANT	55745 55746	55745 55746	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
GENERAL-PURPOSE SAWING LUBRICANT	55800 55801	55800 55801	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
HEAVY-DUTY GENERAL PURPOSE SAWING LUBRICANT	55616 55617 55618	55615 55617 55618	1 gal. 5 gal. 55 gal.	4 1 1	37 lbs. 46 lbs. 481 lbs.	36 42 4
GRINDING LUBRICANT	55750 55751	55750 55751	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
STAMPING & DRAWING COMPOUND	55642 55643	55642 55643	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
ENVIRO-SYNTHETIC EXTRA-COOL	55620 55621	55620 55621	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
ENVIRO-SYNTHETIC EXTRA GRIND	55625 55626	55625 55626	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
MACHINING FLUID	55658	55658	55 gal.	1	481 lbs.	4
COLD HEADING LUBRICANT	55817	55817	55 gal.	1	481 lbs.	4

### ENVIRO-SEMI-SYNTHETIC METALWORKING FLUIDS

<b>SEMI-SYNTHETIC</b>						
DRAWING & STAMPING COMPOUND	55670 55671	55670 55671	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4
<b>SEMI-SYNTHETIC</b>						
GENERAL-PURPOSE METALWORKING FLUID	55675 55677	55675 55677	5 gal. 55 gal.	1 1	46 lbs. 481 lbs.	42 4

### VEGETABLE OIL METALWORKING FLUID

VEGETABLE OIL BASED MINIDROP LUBRICANT	55645 55647 55647	55646 55647 55648	1 gal. 5 gal. 55 gal.	4 1 1	47 lbs. 44 lbs. 475 lbs.	36 42 4
---	-------------------------	-------------------------	-----------------------------	-------------	--------------------------------	---------------



	CASE PART NO.	PART NO.	NET CONT	UNITS CASE	APPROX. CASE WT.	NO. PALLET
--	---------------------	-------------	-------------	---------------	------------------------	---------------

### ENVIRO-WASTE WATER TREATMENT SYSTEM

ENVIRO-WASTE WATER TREATMENT SYSTEM	55700	55700	N-A	1		1
--	-------	-------	-----	---	--	---

### WAY-OILS

#### WAY-OIL

WAY-OIL	55755	55755	5 gal.	1	37 lbs.	42
	55756	55756	55 gal.	1	403 lbs.	4

### ANTI-RUST COMPOUND

#### ANTI-RUST COMPOUND

ANTI-RUST COMPOUND	55650	55650	5 gal.	1	38 lbs.	42
	55651	55651	55 gal.	1	418 lbs.	4

### INDUSTRIAL CLEANING PRODUCTS

INDUSTRIAL DEGREASER CLEANER	10011	10001	32 oz.	12	28 lbs.	75
	10012	10002	1 gal.	4	36 lbs.	36
	52224	52224	5 gal.	1	44 lbs.	42
	52225	52225	55 gal.	1	480 lbs.	4
INDUSTRIAL HAND CLEAN	10115	10015	16 oz.	12	15 lbs.	75
	10116	10016	4½ lbs.	6	32 lbs.	42
HAND SOAP DISPENSER	10017	10017	2 lbs.	1	2 lbs.	N/A
ANTIMICROBIAL***			85			
HAND SANITIZER WIPES	10321	10320	towels	6	7 lbs.	72
HAND CLEANER***			36			
TOWELS	10799	10798	towels	6	9 lbs.	72

\*\*\* Minimum Order 50 cases

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART NO.	NET CONT	UNITS\ CASE	APPROX. CASE WT.	NO. PALLET
--	---------------------	-------------	-------------	----------------	------------------------	---------------

### MISCELLANEOUS AUTOMOTIVE PRODUCTS

<b>AUTOMOTIVE &amp; FLEET ENG &amp; RADIATOR COOLING</b>						
	10130	10030	32 oz.	12	24 lbs.	75
SYSTEM CLEANER	10135	10031	1 gal.	4	36 lbs.	36
<b>AUTOMOTIVE COOLING SYSTEM CORROSION INHIBITOR &amp; TREATMENT</b>						
	10120	10020	16 oz.	12	17 lbs.	96
<b>FLEET COOLING SYSTEM CORROSION INHIBITOR &amp; TREATMENT</b>						
	10121	10021	16 oz.	12	17 lbs.	96
	10122	10022	32 oz.	12	24 lbs.	75
<b>BRAKE PARTS CLEANER</b>						
Chlorine Free	10251	10250	15 oz.	12	15 lbs.	80
CARB. & CHOKE CLEANER	10253	10252	13 oz.	12	14 lbs.	80
<b>FOAMING ENGINE DEGREASER</b>						
	10255	10254	18 oz.	12	18 lbs.	80
BUG & TAR REMOVER	10261	10260	12 oz.	12	13 lbs.	80

### SPORTING GOOD PRODUCTS

<b>PETRON PLUS WEAPON OIL</b>						
Pocket Lubricator 1/4 oz	30009	30008	1/4oz.	100	n/a	n/a
2 oz.	30011	30010	2 oz.	24	n/a	n/a
4 oz.	30013	30012	4 oz.	24	n/a	n/a
8 oz.	30015	30014	8 oz.	24	n/a	n/a
12 oz. Aerosol	30017	30016	12 oz.	12	13 lbs.	80

BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK

	CASE PART NO.	PART NO.	NET CON'T	UNITS\ CASE	APPROX. CASE WT.	NO.\ PALLET
<b>MIL-SPEC. PRODUCTS</b>						
MULTI-PURPOSE AIRCRAFT GREASE (SYNTHETIC) MIL-PRF-23827C	30024	30024	5 gal.	1	40 lbs	42
	30025	30025	55 gal	1	440 lbs	4
GENERAL-PURPOSE WIDE TEMPERATURE RANGE SYNTHETIC GREASE MIL-PRF-81322F Grade 2	30034	30034	5 gal.	1	40 lbs	42
	30035	30035	55 gal	1	440 lbs	4
SYNTHETIC TURBINE OIL MIL-PRF-23699F GR STD	30090	30090	5 gal.	1	40 lbs	42
	30091	30091	55 gal	1	440 lbs	4
HYDRAULIC FLUID, AIRCRAFT, MISSILE, & ORDNANCE MIL-H-5606G	30132	30132	5 gal.	1	40 lbs	42
	30133	30133	55 gal	1	440 lbs	4
SYNTHETIC FIRE RESISTANT HYDRAULIC FLUID AIRCRAFT, MIL-PRF-83282D	30142	30142	5 gal.	1	40 lbs	42
	30143	30143	55 gal	1	440 lbs	4
SEMI-SYNTHETIC AVIATION PISTON ENGINE OIL MIL-L-22851D	30096	30096	5 gal.	1	40 lbs	42
	30097	30097	55 gal	1	440 lbs	4
LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHET BASED, Grade 3, & Grade 4 MIL-PRF-7808L	30060	30060	5 gal.	1	40 lbs	42
	30061	30061	55 gal	1	440 lbs	4
TYPE II SYNTHETIC OIL FOR AIRCRAFT & INDUSTRIAL TURBINE ENGINES MIL-PRF-23699F GR HTS	30066	30066	5 gal.	1	40 lbs	42
	30067	30067	55 gal	1	440 lbs	4
SYNTHETIC HELICOPTER TRANSMISSION AND, TURBINE ENGINE OIL DOD-L-85734 (AS)	30072	30072	5 gal.	1	40 lbs	42
	30073	30073	55 gal	1	440 lbs	4
MINERAL BASED GEAR LUBRICATING OIL LIGHT MIL-PRF-6086E GR L	30055	30055	5 gal.	1	40 lbs	42
	30056	30056	55 gal	1	440 lbs	4
MINERAL BASED GEAR LUBRICATING OIL MEDIUM MIL-PRF-6086E GR M	30058	30058	5 gal.	1	40 lbs	42
	30059	30059	55 gal	1	440 lbs	4

**BALANCE OF PAGE  
INTENTIONALLY  
LEFT BLANK**

**PIPGI HAS ADDITIONAL MIL-SPEC. PRODUCTS AVAILABLE TO MEET YOUR NEEDS. CONTACT YOUR DISTRIBUTOR FOR  
PETRON PLUS AUTOMOTIVE GROUP, INC., PETRON PLUS INTERNATIONAL, INC. &  
PETRONOMICS INDUSTRIAL PRODUCTS GROUP, INC.**

P.O. Box 1946

Hutchinson, KS 67504-1946 USA

620/663-8567 - Phone

620/663-8560 - Fax

[www.petronomics.com](http://www.petronomics.com)